

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080221\
 Data File : VY005523.D
 Acq On : 02 Aug 2021 15:57
 Operator : SY/MD
 Sample : M2940-03 2.5PPBMDL
 Misc : 5.00G/5ML/MSVOA_Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :

Quant Time: Aug 03 07:00:58 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 03 07:00:40 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	288762	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	440192	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.495	117	396510	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	199860	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.148	65	153721	52.590	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 105.180%	
35) Dibromofluoromethane	7.728	113	124808	50.642	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 101.280%	
50) Toluene-d8	10.185	98	515350	49.859	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 99.720%	
62) 4-Bromofluorobenzene	12.483	95	170456	49.800	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 99.600%	

Target Compounds					Qvalue	
2) Dichlorodifluoromethane	1.912	85	5891	2.484	ug/l	92
3) Chloromethane	2.119	50	7544	2.663	ug/l	95
4) Vinyl Chloride	2.253	62	8386	2.471	ug/l	97
5) Bromomethane	2.656	94	6652	2.978	ug/l	91
6) Chloroethane	2.802	64	6282	3.067	ug/l	97
7) Trichlorofluoromethane	3.131	101	10968	2.414	ug/l	98
8) Diethyl Ether	3.533	74	3977	2.506	ug/l	97
9) 1,1,2-Trichlorotrifluo...	3.905	101	5994	2.432	ug/l	97
10) Methyl Iodide	4.100	142	7356	2.396	ug/l	95
11) Tert butyl alcohol	4.954	59	6228	21.553	ug/l #	81
12) 1,1-Dichloroethene	3.887	96	6018	2.418	ug/l	93
13) Acrolein	3.735	56	2088	11.977	ug/l	92
14) Allyl chloride	4.484	41	10430	2.393	ug/l	100
15) Acrylonitrile	5.180	53	9683	11.907	ug/l #	86
16) Acetone	3.954	43	8314	11.282	ug/l	97
17) Carbon Disulfide	4.204	76	19699	2.568	ug/l	98
18) Methyl Acetate	4.491	43	5246	2.722	ug/l	96
19) Methyl tert-butyl Ether	5.240	73	18191	2.360	ug/l	97
20) Methylene Chloride	4.728	84	34127	9.221	ug/l	92
21) trans-1,2-Dichloroethene	5.234	96	7175	2.579	ug/l	90
22) Diisopropyl ether	6.131	45	21687	2.412	ug/l #	95
23) Vinyl Acetate	6.070	43	65342	10.919	ug/l	99
24) 1,1-Dichloroethane	6.027	63	12276	2.463	ug/l #	92
25) 2-Butanone	7.002	43	11438	10.500	ug/l	96
26) 2,2-Dichloropropane	6.990	77	10619	2.332	ug/l	78
27) cis-1,2-Dichloroethene	6.996	96	8143	2.573	ug/l	98
28) Bromochloromethane	7.344	49	4922	2.475	ug/l #	92
29) Tetrahydrofuran	7.362	42	8397	11.654	ug/l	96
30) Chloroform	7.514	83	13579	2.670	ug/l	84
31) Cyclohexane	7.795	56	16403	3.272	ug/l #	72
32) 1,1,1-Trichloroethane	7.710	97	11533	2.467	ug/l	99
36) 1,1-Dichloropropene	7.929	75	9903	2.399	ug/l	98
37) Ethyl Acetate	7.082	43	6089	2.434	ug/l	98
38) Carbon Tetrachloride	7.905	117	10597	2.362	ug/l	92
39) Methylcyclohexane	9.185	83	11690	2.226	ug/l	96
40) Benzene	8.167	78	28585	2.418	ug/l	93

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080221\
 Data File : VY005523.D
 Acq On : 02 Aug 2021 15:57
 Operator : SY/MD
 Sample : M2940-03 2.5PPBMDL
 Misc : 5.00G/5ML/MSVOA_Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :

Quant Time: Aug 03 07:00:58 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 03 07:00:40 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.356	41	7823	5.764	ug/l #	100
42) 1,2-Dichloroethane	8.246	62	9327	2.432	ug/l	100
43) Isopropyl Acetate	8.277	43	10293	2.174	ug/l #	88
44) Trichloroethene	8.941	130	8331	2.582	ug/l	97
45) 1,2-Dichloropropane	9.221	63	6989	2.363	ug/l	95
46) Dibromomethane	9.313	93	4088	2.500	ug/l	94
47) Bromodichloromethane	9.502	83	9500	2.321	ug/l	98
48) Methyl methacrylate	9.301	41	4602	2.150	ug/l	96
49) 1,4-Dioxane	9.307	88	948	41.707	ug/l	92
51) 4-Methyl-2-Pentanone	10.075	43	26159	10.490	ug/l	99
52) Toluene	10.246	92	18324	2.431	ug/l	99
53) t-1,3-Dichloropropene	10.471	75	10179	2.225	ug/l	93
54) cis-1,3-Dichloropropene	9.935	75	11270	2.270	ug/l	93
55) 1,1,2-Trichloroethane	10.648	97	5549	2.345	ug/l	94
56) Ethyl methacrylate	10.514	69	7164	2.022	ug/l	97
57) 1,3-Dichloropropane	10.794	76	9562	2.291	ug/l	97
58) 2-Chloroethyl Vinyl ether	9.788	63	16189	9.562	ug/l	99
59) 2-Hexanone	10.837	43	16898	9.587	ug/l	97
60) Dibromochloromethane	10.983	129	6317	2.157	ug/l	98
61) 1,2-Dibromoethane	11.093	107	4986	2.224	ug/l	98
64) Tetrachloroethene	10.721	164	7517	2.491	ug/l	92
65) Chlorobenzene	11.520	112	19451	2.438	ug/l	96
66) 1,1,1,2-Tetrachloroethane	11.593	131	6964	2.319	ug/l	96
67) Ethyl Benzene	11.593	91	33413	2.309	ug/l	98
68) m/p-Xylenes	11.709	106	25566	4.549	ug/l	100
69) o-Xylene	12.032	106	12209	2.260	ug/l	95
70) Styrene	12.050	104	20246	2.227	ug/l	99
71) Bromoform	12.209	173	4412	2.265	ug/l #	94
73) Isopropylbenzene	12.331	105	32172	2.306	ug/l	99
74) N-amyl acetate	12.148	43	8406	2.002	ug/l	98
75) 1,1,2,2-Tetrachloroethane	12.587	83	6162	2.296	ug/l	98
76) 1,2,3-Trichloropropane	12.635	75	8675	4.189	ug/l #	100
77) Bromobenzene	12.611	156	8301	2.422	ug/l	94
78) n-propylbenzene	12.672	91	39772	2.400	ug/l	100
79) 2-Chlorotoluene	12.757	91	22731	2.443	ug/l	98
80) 1,3,5-Trimethylbenzene	12.818	105	27501	2.375	ug/l	98
81) trans-1,4-Dichloro-2-b...	12.483	75	91048	88.619	ug/l #	11
82) 4-Chlorotoluene	12.855	91	23863	2.479	ug/l	99
83) tert-Butylbenzene	13.074	119	24192	2.329	ug/l	98
84) 1,2,4-Trimethylbenzene	13.123	105	26837	2.349	ug/l	99
85) sec-Butylbenzene	13.257	105	34448	2.299	ug/l	100
86) p-Isopropyltoluene	13.373	119	29690	2.308	ug/l	99
87) 1,3-Dichlorobenzene	13.367	146	16908	2.528	ug/l	99
88) 1,4-Dichlorobenzene	13.446	146	16656	2.510	ug/l	84
89) n-Butylbenzene	13.696	91	28230	2.422	ug/l	99
90) Hexachloroethane	13.958	117	5901	2.551	ug/l	97
91) 1,2-Dichlorobenzene	13.739	146	14548	2.463	ug/l	98
92) 1,2-Dibromo-3-Chloropr...	14.355	75	1389	2.731	ug/l	88
93) 1,2,4-Trichlorobenzene	15.013	180	10868	2.678	ug/l	99
94) Hexachlorobutadiene	15.117	225	6902	2.627	ug/l	98
95) Naphthalene	15.239	128	20913	2.614	ug/l	98
96) 1,2,3-Trichlorobenzene	15.428	180	10183	2.832	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080221\
Data File : VY005523.D
Acq On : 02 Aug 2021 15:57
Operator : SY/MD
Sample : M2940-03 2.5PPBMDL
Misc : 5.00G/5ML/MSVOA_Y/SOIL
ALS Vial : 15 Sample Multiplier: 1


Instrument :
MSVOA_Y
ClientSampleId :


Quant Time: Aug 03 07:00:58 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 03 07:00:40 2021
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Aug 03 07:00:58 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 03 07:00:40 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:168 Resp: 288762
Ion Ratio Lower Upper
168 100
99 50.9 38.9 58.3



#2
Dichlorodifluoromethane
Concen: 2.484 ug/l
RT: 1.912 min Scan# 15
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 85 Resp: 5891
Ion Ratio Lower Upper
85 100
87 26.6 15.4 46.2









#3
Chloromethane
Concen: 2.663 ug/l
RT: 2.119 min Scan# 49
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion: 50 Resp: 7544
Ion Ratio Lower Upper
50 100
52 36.0 26.4 39.6



#4
Vinyl Chloride
Concen: 2.471 ug/l
RT: 2.253 min Scan# 71
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 62 Resp: 8386
Ion Ratio Lower Upper
62 100
64 34.2 25.9 38.9









#5
Bromomethane
Concen: 2.978 ug/l
RT: 2.656 min Scan# 137
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion: 94 Resp: 6652
Ion Ratio Lower Upper
94 100
96 85.9 75.7 113.5



#6
Chloroethane
Concen: 3.067 ug/l
RT: 2.802 min Scan# 161
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 64 Resp: 6282
Ion Ratio Lower Upper
64 100
66 34.5 26.1 39.1









#7
Trichlorofluoromethane
Concen: 2.414 ug/l
RT: 3.131 min Scan# 215
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion:101 Resp: 10968
Ion Ratio Lower Upper
101 100
103 67.1 52.2 78.4



#8
Diethyl Ether
Concen: 2.506 ug/l
RT: 3.533 min Scan# 281
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 74 Resp: 3977
Ion Ratio Lower Upper
74 100
45 91.9 47.2 141.6









#9
1,1,2-Trichlorotrifluoroethane
Concen: 2.432 ug/l
RT: 3.905 min Scan# 342
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:101 Resp: 5994
Ion Ratio Lower Upper
101 100
85 47.6 36.3 54.5
151 86.9 67.6 101.4



#10
Methyl Iodide
Concen: 2.396 ug/l
RT: 4.100 min Scan# 374
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:142 Resp: 7356
Ion Ratio Lower Upper
142 100
127 41.6 36.6 54.8
141 14.2 12.2 18.4









#11
Tert butyl alcohol
Concen: 21.553 ug/l
RT: 4.954 min Scan# 514
Delta R.T. -0.012 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion: 59 Resp: 6228
Ion Ratio Lower Upper
59 100
57 3.1 8.0 12.0#



#12
1,1-Dichloroethene
Concen: 2.418 ug/l
RT: 3.887 min Scan# 339
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 96 Resp: 6018
Ion Ratio Lower Upper
96 100
61 155.1 128.6 192.8
98 51.3 49.2 73.8









#13
Acrolein
Concen: 11.977 ug/l
RT: 3.735 min Scan# 314
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 56 Resp: 2088
Ion Ratio Lower Upper
56 100
55 63.8 56.5 84.7



#14
Allyl chloride
Concen: 2.393 ug/l
RT: 4.484 min Scan# 437
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 41 Resp: 10430
Ion Ratio Lower Upper
41 100
39 67.3 53.7 80.5
76 35.7 28.7 43.1









#15
Acrylonitrile
Concen: 11.907 ug/l
RT: 5.180 min Scan# 551
Delta R.T. 0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion: 53 Resp: 9683
Ion Ratio Lower Upper
53 100
52 78.7 66.6 99.8
51 17.2 29.9 44.9#



#16
Acetone
Concen: 11.282 ug/l
RT: 3.954 min Scan# 350
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 43 Resp: 8314
Ion Ratio Lower Upper
43 100
58 31.1 23.8 35.6









#17
Carbon Disulfide
Concen: 2.568 ug/l
RT: 4.204 min Scan# 391
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 76 Resp: 19699
Ion Ratio Lower Upper
76 100
78 8.0 7.0 10.6



#18
Methyl Acetate
Concen: 2.722 ug/l
RT: 4.491 min Scan# 438
Delta R.T. 0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 43 Resp: 5246
Ion Ratio Lower Upper
43 100
74 25.7 19.0 28.6









#19

Methyl tert-butyl Ether
 Concen: 2.360 ug/l
 RT: 5.240 min Scan# 561
 Delta R.T. 0.006 min
 Lab File: VY005523.D
 Acq: 02 Aug 2021 15:57

Instrument :
 MSVOA_Y
 ClientSampleId :




Tgt Ion: 73 Resp: 18191
 Ion Ratio Lower Upper
 73 100
 57 23.8 17.7 26.5




#20

Methylene Chloride
 Concen: 9.221 ug/l
 RT: 4.728 min Scan# 477
 Delta R.T. -0.001 min
 Lab File: VY005523.D
 Acq: 02 Aug 2021 15:57

Tgt Ion: 84 Resp: 34127
 Ion Ratio Lower Upper
 84 100
 49 119.0 105.8 158.6
 51 36.8 33.4 50.2
 86 65.1 54.2 81.4









#21
trans-1,2-Dichloroethene
Concen: 2.579 ug/l
RT: 5.234 min Scan# 560
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 96 Resp: 7175
Ion Ratio Lower Upper
96 100
61 123.1 112.6 168.8
98 64.7 52.2 78.4



#22
Diisopropyl ether
Concen: 2.412 ug/l
RT: 6.131 min Scan# 707
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 45 Resp: 21687
Ion Ratio Lower Upper
45 100
43 59.0 44.2 66.2
87 29.4 21.6 32.4
59 13.4 8.9 13.3#









#23
 Vinyl Acetate
 Concen: 10.919 ug/l
 RT: 6.070 min Scan# 697
 Delta R.T. -0.000 min
 Lab File: VY005523.D
 Acq: 02 Aug 2021 15:57




Instrument :
 MSVOA_Y
 ClientSampleId :


Tgt Ion: 43 Resp: 65342
 Ion Ratio Lower Upper
 43 100
 86 10.1 8.4 12.6



#24
 1,1-Dichloroethane
 Concen: 2.463 ug/l
 RT: 6.027 min Scan# 690
 Delta R.T. -0.006 min
 Lab File: VY005523.D
 Acq: 02 Aug 2021 15:57

Tgt Ion: 63 Resp: 12276
 Ion Ratio Lower Upper
 63 100
 98 9.1 3.4 10.1
 100 7.4 2.1 6.5#





#25

2-Butanone

Concen: 10.500 ug/l

RT: 7.002 min Scan# 850

Delta R.T. 0.006 min

Lab File: VY005523.D





Acq: 02 Aug 2021 15:57

Tgt Ion: 43 Resp: 11438

Ion Ratio Lower Upper

43 100

72 24.8 21.4 32.2



#26

2,2-Dichloropropane

Concen: 2.332 ug/l

RT: 6.990 min Scan# 848

Delta R.T. -0.000 min

Lab File: VY005523.D




Acq: 02 Aug 2021 15:57


Tgt Ion: 77 Resp: 10619

Ion Ratio Lower Upper

77 100

97 12.0 11.4 34.1





#27

cis-1,2-Dichloroethene

Concen: 2.573 ug/l

RT: 6.996 min Scan# 849





Delta R.T. -0.000 min

Lab File: VY005523.D

Acq: 02 Aug 2021 15:57

Tgt Ion: 96 Resp: 8143

Ion	Ratio	Lower	Upper
96	100		
61	142.7	0.0	290.0
98	61.8	0.0	128.0



#28

Bromochloromethane

Concen: 2.475 ug/l

RT: 7.344 min Scan# 906




Delta R.T. -0.006 min


Lab File: VY005523.D

Acq: 02 Aug 2021 15:57

Tgt Ion: 49 Resp: 4922

Ion	Ratio	Lower	Upper
49	100		
129	0.0	0.0	4.0
130	72.5	64.0	96.0





#29

Tetrahydrofuran

Concen: 11.654 ug/l

RT: 7.362 min Scan# 909





Delta R.T. 0.006 min

Lab File: VY005523.D

Acq: 02 Aug 2021 15:57

Tgt Ion: 42 Resp: 8397

Ion	Ratio	Lower	Upper
42	100		
72	41.8	35.0	52.4
71	38.1	33.3	49.9



#30

Chloroform

Concen: 2.670 ug/l

RT: 7.514 min Scan# 934




Delta R.T. -0.000 min


Lab File: VY005523.D

Acq: 02 Aug 2021 15:57

Tgt Ion: 83 Resp: 13579

Ion	Ratio	Lower	Upper
83	100		
85	53.0	52.7	79.1









#31
Cyclohexane
Concen: 3.272 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 56 Resp: 16403
Ion Ratio Lower Upper
56 100
69 84.6 27.7 41.5#
84 93.9 70.9 106.3



#32
1,1,1-Trichloroethane
Concen: 2.467 ug/l
RT: 7.710 min Scan# 966
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 97 Resp: 11533
Ion Ratio Lower Upper
97 100
99 62.2 51.1 76.7
61 43.4 35.0 52.6









#33
 1,2-Dichloroethane-d4
 Concen: 52.590 ug/l
 RT: 8.148 min Scan# 1038
 Delta R.T. -0.000 min
 Lab File: VY005523.D
 Acq: 02 Aug 2021 15:57




Instrument :
 MSVOA_Y
 ClientSampleId :


Tgt Ion: 65 Resp: 153721
 Ion Ratio Lower Upper
 65 100
 67 51.4 0.0 103.4



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.697 min Scan# 1128
 Delta R.T. -0.000 min
 Lab File: VY005523.D
 Acq: 02 Aug 2021 15:57


Tgt Ion: 114 Resp: 440192
 Ion Ratio Lower Upper
 114 100
 63 20.2 0.0 39.2
 88 14.7 0.0 30.8








#35
Dibromofluoromethane
Concen: 50.642 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57


Instrument :
MSVOA_Y
ClientSampleId :





Tgt Ion:113 Resp: 124808
Ion Ratio Lower Upper
113 100
111 102.1 81.9 122.9
192 23.9 19.2 28.8




#36
1,1-Dichloropropene
Concen: 2.399 ug/l
RT: 7.929 min Scan# 1002
Delta R.T. 0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57



Tgt Ion: 75 Resp: 9903
Ion Ratio Lower Upper
75 100
110 37.3 18.1 54.1
77 32.5 25.1 37.7









#37
Ethyl Acetate
Concen: 2.434 ug/l
RT: 7.082 min Scan# 863
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:	43	Resp:	6089
Ion	Ratio	Lower	Upper
43	100		
61	13.7	10.6	15.8
70	9.8	8.6	13.0



#38
Carbon Tetrachloride
Concen: 2.362 ug/l
RT: 7.905 min Scan# 998
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:	117	Resp:	10597
Ion	Ratio	Lower	Upper
117	100		
119	86.3	75.4	113.0
121	26.8	25.1	37.7





#39

Methylcyclohexane

Concen: 2.226 ug/l

RT: 9.185 min Scan# 1208

Delta R.T. -0.006 min

Lab File: VY005523.D

Acq: 02 Aug 2021 15:57

Tgt Ion: 83 Resp: 11690

Ion Ratio Lower Upper

83 100





55 83.1 61.7 92.5

98 48.6 38.9 58.3

Instrument :

MSVOA_Y

ClientSampleId :



#40

Benzene

Concen: 2.418 ug/l

RT: 8.167 min Scan# 1041

Delta R.T. -0.000 min

Lab File: VY005523.D




Acq: 02 Aug 2021 15:57


Tgt Ion: 78 Resp: 28585

Ion Ratio Lower Upper

78 100

77 21.1 19.6 29.4









#41
Methacrylonitrile
Concen: 5.764 ug/l
RT: 7.356 min Scan# 908
Delta R.T. 0.024 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion:	41	Resp:	7823
Ion	Ratio	Lower	Upper
41	100		
39	0.0	0.0	0.0
67	0.0	0.0	0.0
52	0.0	0.0	0.0



#42
1,2-Dichloroethane
Concen: 2.432 ug/l
RT: 8.246 min Scan# 1054
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:	62	Resp:	9327
Ion	Ratio	Lower	Upper
62	100		
98	9.3	0.0	18.4





#43

Isopropyl Acetate

Concen: 2.174 ug/l

RT: 8.277 min Scan# 1059





Delta R.T. -0.006 min

Lab File: VY005523.D

Acq: 02 Aug 2021 15:57

Tgt Ion:	43	Resp:	10293
Ion	Ratio	Lower	Upper
43	100		
61	20.9	23.0	34.6#
87	15.2	10.6	16.0

Instrument :
MSVOA_Y
ClientSampled :



#44

Trichloroethene

Concen: 2.582 ug/l




RT: 8.941 min Scan# 1168


Delta R.T. -0.006 min

Lab File: VY005523.D

Acq: 02 Aug 2021 15:57

Tgt Ion:	130	Resp:	8331
Ion	Ratio	Lower	Upper
130	100		
95	89.9	0.0	185.0









#45

1,2-Dichloropropane
Concen: 2.363 ug/l
RT: 9.221 min Scan# 1214
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Instrument :
MSVOA_Y
ClientSampled :




Tgt Ion: 63 Resp: 6989
Ion Ratio Lower Upper
63 100
65 28.1 24.9 37.3




#46

Dibromomethane
Concen: 2.500 ug/l
RT: 9.313 min Scan# 1229
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 93 Resp: 4088
Ion Ratio Lower Upper
93 100
95 77.2 66.5 99.7
174 111.2 93.8 140.6









#47
Bromodichloromethane
Concen: 2.321 ug/l
RT: 9.502 min Scan# 1260
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion:	83	Resp:	9500
Ion	Ratio	Lower	Upper
83	100		
85	62.3	51.0	76.4
127	8.7	7.0	10.4



#48
Methyl methacrylate
Concen: 2.150 ug/l
RT: 9.301 min Scan# 1227
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:	41	Resp:	4602
Ion	Ratio	Lower	Upper
41	100		
69	82.7	69.0	103.4
39	60.3	46.0	69.0





#49

1,4-Dioxane

Concen: 41.707 ug/l

RT: 9.307 min Scan# 1228

Delta R.T. -0.000 min

Lab File: VY005523.D

Acq: 02 Aug 2021 15:57





Tgt Ion: 88 Resp: 948

Ion Ratio Lower Upper

88 100

43 37.7 27.0 40.4

58 73.7 53.8 80.8



#50

Toluene-d8

Concen: 49.859 ug/l

RT: 10.185 min Scan# 1372

Delta R.T. -0.000 min

Lab File: VY005523.D




Acq: 02 Aug 2021 15:57


Tgt Ion: 98 Resp: 515350

Ion Ratio Lower Upper

98 100

100 63.3 51.3 76.9









#51
4-Methyl-2-Pentanone
Concen: 10.490 ug/l
RT: 10.075 min Scan# 1354
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion: 43 Resp: 26159
Ion Ratio Lower Upper
43 100
58 38.9 31.4 47.2



#52
Toluene
Concen: 2.431 ug/l
RT: 10.246 min Scan# 1382
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 92 Resp: 18324
Ion Ratio Lower Upper
92 100
91 173.3 139.6 209.4









#53
t-1,3-Dichloropropene
Concen: 2.225 ug/l
RT: 10.471 min Scan# 1419
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 75 Resp: 10179
Ion Ratio Lower Upper
75 100
77 34.5 24.5 36.7



#54
cis-1,3-Dichloropropene
Concen: 2.270 ug/l
RT: 9.935 min Scan# 1331
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57


Tgt Ion: 75 Resp: 11270
Ion Ratio Lower Upper
75 100
77 29.5 24.6 36.8
39 41.0 38.1 57.1








#55
1,1,2-Trichloroethane
Concen: 2.345 ug/l
RT: 10.648 min Scan# 1448
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57


Instrument :
MSVOA_Y
ClientSampled :





Tgt Ion: 97	Resp: 5549
Ion Ratio	Lower Upper
97 100	
83 89.5	68.7 103.1
85 59.5	42.4 63.6
99 63.8	48.2 72.2




#56
Ethyl methacrylate
Concen: 2.022 ug/l
RT: 10.514 min Scan# 1426
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57



Tgt Ion: 69	Resp: 7164
Ion Ratio	Lower Upper
69 100	
41 69.4	53.9 80.9
39 35.3	27.0 40.4









#57
1,3-Dichloropropane
Concen: 2.291 ug/l
RT: 10.794 min Scan# 1472
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion: 76 Resp: 9562
Ion Ratio Lower Upper
76 100
78 33.5 25.7 38.5



#58
2-Chloroethyl Vinyl ether
Concen: 9.562 ug/l
RT: 9.788 min Scan# 1307
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 63 Resp: 16189
Ion Ratio Lower Upper
63 100
106 29.2 23.1 34.7









#59
2-Hexanone
Concen: 9.587 ug/l
RT: 10.837 min Scan# 1479
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion: 43 Resp: 16898
Ion Ratio Lower Upper
43 100
58 56.6 27.1 81.2



#60
Dibromochloromethane
Concen: 2.157 ug/l
RT: 10.983 min Scan# 1503
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 129 Resp: 6317
Ion Ratio Lower Upper
129 100
127 79.0 38.6 115.7









#61
1,2-Dibromoethane
Concen: 2.224 ug/l
RT: 11.093 min Scan# 1521
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:107 Resp: 4986
Ion Ratio Lower Upper
107 100
109 95.3 74.7 112.1



#62
4-Bromofluorobenzene
Concen: 49.800 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 95 Resp: 170456
Ion Ratio Lower Upper
95 100
174 93.5 0.0 191.4
176 90.1 0.0 183.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.495 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:117 Resp: 396510
Ion Ratio Lower Upper
117 100
82 55.0 43.5 65.3
119 32.6 25.5 38.3



#64
Tetrachloroethene
Concen: 2.491 ug/l
RT: 10.721 min Scan# 1460
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:164 Resp: 7517
Ion Ratio Lower Upper
164 100
166 120.3 99.8 149.8
129 78.6 70.1 105.1
131 72.8 67.4 101.0









#65
Chlorobenzene
Concen: 2.438 ug/l
RT: 11.520 min Scan# 1591
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:112 Resp: 19451
Ion Ratio Lower Upper
112 100
114 29.3 25.2 37.8



#66
1,1,1,2-Tetrachloroethane
Concen: 2.319 ug/l
RT: 11.593 min Scan# 1603
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:131 Resp: 6964
Ion Ratio Lower Upper
131 100
133 99.7 48.2 144.6
119 66.5 31.4 94.0









#67
Ethyl Benzene
Concen: 2.309 ug/l
RT: 11.593 min Scan# 1603
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 91 Resp: 33413
Ion Ratio Lower Upper
91 100
106 31.1 25.8 38.6



#68
m/p-Xylenes
Concen: 4.549 ug/l
RT: 11.709 min Scan# 1622
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:106 Resp: 25566
Ion Ratio Lower Upper
106 100
91 199.7 159.6 239.4









#69
o-Xylene
Concen: 2.260 ug/l
RT: 12.032 min Scan# 1675
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:106 Resp: 12209
Ion Ratio Lower Upper
106 100
91 220.2 106.2 318.6



#70
Styrene
Concen: 2.227 ug/l
RT: 12.050 min Scan# 1678
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:104 Resp: 20246
Ion Ratio Lower Upper
104 100
78 49.9 40.2 60.4
103 56.2 43.8 65.8





#71

Bromoform

Concen: 2.265 ug/l

RT: 12.209 min Scan# 1704

Delta R.T. -0.006 min

Lab File: VY005523.D

Acq: 02 Aug 2021 15:57





Tgt Ion:173 Resp: 4412

Ion Ratio Lower Upper

173 100

175 44.4 24.3 72.9

254 0.0 0.2 0.2#



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.428 min Scan# 1904

Delta R.T. -0.000 min

Lab File: VY005523.D

Acq: 02 Aug 2021 15:57




Tgt Ion:152 Resp: 199860


Ion Ratio Lower Upper

152 100

115 54.5 27.3 81.9

150 157.5 0.0 350.2









#73
Isopropylbenzene
Concen: 2.306 ug/l
RT: 12.331 min Scan# 1724
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:105 Resp: 32172
Ion Ratio Lower Upper
105 100
120 26.9 13.7 41.1



#74
N-ethyl acetate
Concen: 2.002 ug/l
RT: 12.148 min Scan# 1694
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 43 Resp: 8406
Ion Ratio Lower Upper
43 100
70 41.9 32.9 49.3
55 25.4 18.9 28.3
61 23.8 19.0 28.6









#75
1,1,2,2-Tetrachloroethane
Concen: 2.296 ug/l
RT: 12.587 min Scan# 1766
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:	83	Resp:	6162
Ion	Ratio	Lower	Upper
83	100		
131	10.9	5.6	16.8
85	65.6	32.0	96.2



#76
1,2,3-Trichloropropane
Concen: 4.189 ug/l
RT: 12.635 min Scan# 1774
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:	75	Resp:	8675
Ion	Ratio	Lower	Upper
75	100		
77	0.0	0.0	0.0









#77
Bromobenzene
Concen: 2.422 ug/l
RT: 12.611 min Scan# 1770
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion:	156	Resp:	8301
Ion Ratio	Lower	Upper	
156	100		
77	182.9	85.5	256.5
158	99.7	48.5	145.6



#78
n-propylbenzene
Concen: 2.400 ug/l
RT: 12.672 min Scan# 1780
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:	91	Resp:	39772
Ion Ratio	Lower	Upper	
91	100		
120	23.8	11.9	35.9









#79
2-Chlorotoluene
Concen: 2.443 ug/l
RT: 12.757 min Scan# 1794
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 91 Resp: 22731
Ion Ratio Lower Upper
91 100
126 36.0 17.5 52.6



#80
1,3,5-Trimethylbenzene
Concen: 2.375 ug/l
RT: 12.818 min Scan# 1804
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 105 Resp: 27501
Ion Ratio Lower Upper
105 100
120 48.6 25.0 75.0









#81
trans-1,4-Dichloro-2-butene
Concen: 88.619 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.103 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 75 Resp: 91048
Ion Ratio Lower Upper
75 100
53 0.0 76.7 115.1#
89 0.0 38.4 57.6#



#82
4-Chlorotoluene
Concen: 2.479 ug/l
RT: 12.855 min Scan# 1810
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 91 Resp: 23863
Ion Ratio Lower Upper
91 100
126 34.5 17.5 52.5









#83
tert-Butylbenzene
Concen: 2.329 ug/l
RT: 13.074 min Scan# 1846
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:119 Resp: 24192
Ion Ratio Lower Upper
119 100
91 65.8 31.9 95.9
134 26.0 13.4 40.2



#84
1,2,4-Trimethylbenzene
Concen: 2.349 ug/l
RT: 13.123 min Scan# 1854
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:105 Resp: 26837
Ion Ratio Lower Upper
105 100
120 46.5 22.9 68.5









#85
 sec-Butylbenzene
 Concen: 2.299 ug/l
 RT: 13.257 min Scan# 1876
 Delta R.T. -0.000 min
 Lab File: VY005523.D
 Acq: 02 Aug 2021 15:57




Instrument :
 MSVOA_Y
 ClientSampled :


Tgt Ion:105 Resp: 34448
 Ion Ratio Lower Upper
 105 100
 134 21.1 10.5 31.5



#86
 p-Isopropyltoluene
 Concen: 2.308 ug/l
 RT: 13.373 min Scan# 1895
 Delta R.T. -0.000 min
 Lab File: VY005523.D
 Acq: 02 Aug 2021 15:57

Tgt Ion:119 Resp: 29690
 Ion Ratio Lower Upper
 119 100
 134 28.1 13.6 40.7
 91 22.6 11.6 34.7









#87
1,3-Dichlorobenzene
Concen: 2.528 ug/l
RT: 13.367 min Scan# 1894
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:146 Resp: 16908
Ion Ratio Lower Upper
146 100
111 36.8 18.6 56.0
148 63.2 31.7 95.1



#88
1,4-Dichlorobenzene
Concen: 2.510 ug/l
RT: 13.446 min Scan# 1907
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:146 Resp: 16656
Ion Ratio Lower Upper
146 100
111 51.7 18.1 54.3
148 71.5 31.8 95.3









#89
n-Butylbenzene
Concen: 2.422 ug/l
RT: 13.696 min Scan# 1948
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion:	91	Resp:	28230
Ion	Ratio	Lower	Upper
91	100		
92	52.8	26.7	80.1
134	27.2	13.8	41.4



#90
Hexachloroethane
Concen: 2.551 ug/l
RT: 13.958 min Scan# 1991
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:	117	Resp:	5901
Ion	Ratio	Lower	Upper
117	100		
201	90.3	46.7	140.1









#91
1,2-Dichlorobenzene
Concen: 2.463 ug/l
RT: 13.739 min Scan# 1955
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion:146 Resp: 14548
Ion Ratio Lower Upper
146 100
111 37.6 19.4 58.2
148 65.1 31.9 95.5



#92
1,2-Dibromo-3-Chloropropane
Concen: 2.731 ug/l
RT: 14.355 min Scan# 2056
Delta R.T. -0.006 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion: 75 Resp: 1389
Ion Ratio Lower Upper
75 100
155 77.5 42.4 127.1
157 96.6 56.0 168.2









#93
1,2,4-Trichlorobenzene
Concen: 2.678 ug/l
RT: 15.013 min Scan# 2164
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion:180 Resp: 10868
Ion Ratio Lower Upper
180 100
182 96.1 47.8 143.4
145 29.4 14.0 42.0



#94
Hexachlorobutadiene
Concen: 2.627 ug/l
RT: 15.117 min Scan# 2181
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:225 Resp: 6902
Ion Ratio Lower Upper
225 100
223 64.7 31.4 94.0
227 63.9 32.2 96.6









#95
Naphthalene
Concen: 2.614 ug/l
RT: 15.239 min Scan# 2201
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Instrument :
MSVOA_Y
ClientSampleId :

Tgt Ion:128 Resp: 20913
Ion Ratio Lower Upper
128 100
127 14.5 10.6 15.8
129 10.7 8.7 13.1



#96
1,2,3-Trichlorobenzene
Concen: 2.832 ug/l
RT: 15.428 min Scan# 2232
Delta R.T. -0.000 min
Lab File: VY005523.D
Acq: 02 Aug 2021 15:57

Tgt Ion:180 Resp: 10183
Ion Ratio Lower Upper
180 100
182 95.1 47.9 143.6
145 30.6 14.6 44.0

