

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY080320\
 Data File : VY003422.D
 Acq On : 03 Aug 2020 17:15
 Operator : SY/MD
 Sample : L3535-07
 Misc : 8.20G/5ML/MSVOA Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 JTY1-SB-06-2-3

Quant Time: Aug 04 09:01:32 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y073120S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 31 13:09:26 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	442670	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	698045	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	642887	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	319214	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.14	65	224038	53.23	ug/l	0.00
Spiked Amount			Recovery	=	106.46%	
35) Dibromofluoromethane	7.72	113	221459	53.86	ug/l	0.00
Spiked Amount			Recovery	=	107.72%	
50) Toluene-d8	10.18	98	853399	53.00	ug/l	0.00
Spiked Amount			Recovery	=	106.00%	
62) 4-Bromofluorobenzene	12.48	95	276398	50.24	ug/l	0.00
Spiked Amount			Recovery	=	100.48%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY080320\
Data File : VY003422.D
Acq On : 03 Aug 2020 17:15
Operator : SY/MD
Sample : L3535-07
Misc : 8.20G/5ML/MSVOA Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
JTY1-SB-06-2-3

Quant Time: Aug 04 09:01:32 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y073120S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 31 13:09:26 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. 0.00 min

Lab File: VY003422.D

Acq: 03 Aug 2020 17:15

Instrument :

MSVOA_Y

ClientSampleId :


JTY1-SB-06-2-3

Tot Ion:168 Resp: 442670

Ion Ratio Lower Upper

168 100

99 50.5 38.8 58.2



Abundance Ion 167.90 (167.60 to 168.60): VY003383.D (-983) (-)

Ion 98.90 (98.60 to 99.60): VY003383.D (-983) (-)

7.80

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 53.229 ug/l

RT: 8.14 min Scan# 1051

Delta R.T. 0.00 min

Lab File: VY003422.D


Acq: 03 Aug 2020 17:15

Tgt Ion: 65 Resp: 224038

Ion Ratio Lower Upper

65 100

67 53.3 0.0 106.6



Abundance Ion 64.90 (64.60 to 65.60): VY003383.D (-1041) (-)

Ion 66.90 (66.60 to 67.60): VY003383.D (-1041) (-)

8.14

120000

100000

80000


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. 0.00 min

Lab File: VY003422.D

Acq: 03 Aug 2020 17:15

Instrument :

MSVOA_Y

ClientSampleId :

JTY1-SB-06-2-3


Tot Ion:114 Resp: 698045

Ion Ratio Lower Upper

114 100

63 18.9 0.0 40.6




88 14.6 0.0 29.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 53.858 ug/l

RT: 7.72 min Scan# 982

Delta R.T. 0.00 min

Lab File: VY003422.D

Acq: 03 Aug 2020 17:15


Tgt Ion:113 Resp: 221459

Ion Ratio Lower Upper

113 100

111 101.1 83.0 124.4



192 22.7 18.8 28.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 53.001 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. 0.00 min

Lab File: VY003422.D

Acq: 03 Aug 2020 17:15

Instrument :

MSVOA_Y

ClientSampleId :





JTY1-SB-06-2-3

Tot Ion: 98 Resp: 853399

Ion Ratio Lower Upper

98 100

100 63.3 51.3 76.9



#62

4-Bromofluorobenzene

Concen: 50.240 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.00 min

Lab File: VY003422.D

Acq: 03 Aug 2020 17:15




Tgt Ion: 95 Resp: 276398


Ion Ratio Lower Upper

95 100

174 96.6 0.0 190.0

176 93.0 0.0 184.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.49 min Scan# 1600

Delta R.T. 0.00 min

Lab File: VY003422.D

Acq: 03 Aug 2020 17:15

Instrument :

MSVOA_Y

ClientSampleId :

JTY1-SB-06-2-3


Tot Ion:117 Resp: 642887

Ion Ratio Lower Upper

117 100

82 51.8 41.9 62.9




119 32.8 25.4 38.0



Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): VY0

Ion 118.90 (118.60 to 119.60): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.42 min Scan# 1917

Delta R.T. 0.00 min

Lab File: VY003422.D

Acq: 03 Aug 2020 17:15


Tgt Ion:152 Resp: 319214

Ion Ratio Lower Upper

152 100

115 54.7 27.2 81.5

150 156.7 0.0 346.8



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

