

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080323\
 Data File : VY014961.D
 Acq On : 03 Aug 2023 20:10
 Operator : SY/MD
 Sample : 03900-01
 Misc : 5.06g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 31464

Quant Time: Aug 04 04:34:20 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071323S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 14 02:09:50 2023
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.789	168	219672	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	395802	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	393370	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	187823	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	147098	58.763	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 117.520%	
35) Dibromofluoromethane	7.716	113	126112	50.053	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 100.100%	
50) Toluene-d8	10.179	98	476633	51.311	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 102.620%	
62) 4-Bromofluorobenzene	12.477	95	183467	51.509	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 103.020%	
Target Compounds						
					Qvalue	
11) Tert butyl alcohol	4.972	59	11418	10.174	ug/l	99
16) Acetone	3.954	43	59207	74.639	ug/l	99
20) Methylene Chloride	4.716	84	26102	6.451	ug/l	96
25) 2-Butanone	6.996	43	18830	16.226	ug/l	96
52) Toluene	10.246	92	8271	1.206	ug/l	98
68) m/p-Xylenes	11.703	106	12701	2.198	ug/l	96
84) 1,2,4-Trimethylbenzene	13.117	105	15274	1.267	ug/l	96
86) p-Isopropyltoluene	13.367	119	21459	1.644	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080323\
Data File : VY014961.D
Acq On : 03 Aug 2023 20:10
Operator : SY/MD
Sample : 03900-01
Misc : 5.06g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
31464

Quant Time: Aug 04 04:34:20 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071323S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 14 02:09:50 2023
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.789 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10




Instrument :
MSVOA_Y
ClientSampleId :
31464


Tgt Ion:168 Resp: 219672
Ion Ratio Lower Upper
168 100
99 58.2 43.4 65.0



#11
Tert butyl alcohol
Concen: 10.174 ug/l
RT: 4.972 min Scan# 517
Delta R.T. 0.024 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10

Tgt Ion: 59 Resp: 11418
Ion Ratio Lower Upper
59 100
57 3.9 3.0 4.4









#16
Acetone
Concen: 74.639 ug/l
RT: 3.954 min Scan# 31464
Delta R.T. 0.012 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10




Instrument :
MSVOA_Y
ClientSampleId :
31464


Tgt Ion: 43 Resp: 59207
Ion Ratio Lower Upper
43 100
58 29.1 22.7 34.1



#20
Methylene Chloride
Concen: 6.451 ug/l
RT: 4.716 min Scan# 475
Delta R.T. 0.012 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10

Tgt Ion: 84 Resp: 26102
Ion Ratio Lower Upper
84 100
49 127.5 106.9 160.3
51 38.6 33.2 49.8
86 62.0 51.0 76.6









#25
2-Butanone
Concen: 16.226 ug/l
RT: 6.996 min Scan# 846
Delta R.T. 0.018 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10




Instrument :
MSVOA_Y
ClientSampleId :
31464


Tgt Ion: 43 Resp: 18830
Ion Ratio Lower Upper
43 100
72 23.7 20.5 30.7



#33
1,2-Dichloroethane-d4
Concen: 58.763 ug/l
RT: 8.142 min Scan# 1037
Delta R.T. 0.006 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10

Tgt Ion: 65 Resp: 147098
Ion Ratio Lower Upper
65 100
67 52.8 0.0 101.8





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1126

Delta R.T. 0.006 min

Lab File: VY014961.D

Acq: 03 Aug 2023 20:10

Instrument :

MSVOA_Y

ClientSampleId :

31464





Tgt Ion:114 Resp: 395802

Ion Ratio Lower Upper

114 100

63 19.7 0.0 42.4

88 15.5 0.0 30.6



#35

Dibromofluoromethane

Concen: 50.053 ug/l

RT: 7.716 min Scan# 967

Delta R.T. -0.000 min

Lab File: VY014961.D

Acq: 03 Aug 2023 20:10




Tgt Ion:113 Resp: 126112


Ion Ratio Lower Upper

113 100

111 102.9 81.3 121.9

192 18.9 16.9 25.3









#50
Toluene-d8
Concen: 51.311 ug/l
RT: 10.179 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10




Instrument :
MSVOA_Y
ClientSampleId :
31464


Tgt Ion: 98 Resp: 476633
Ion Ratio Lower Upper
98 100
100 65.2 50.1 75.1



#52
Toluene
Concen: 1.206 ug/l
RT: 10.246 min Scan# 1382
Delta R.T. 0.006 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10

Tgt Ion: 92 Resp: 8271
Ion Ratio Lower Upper
92 100
91 177.4 143.8 215.6









#62
4-Bromofluorobenzene
Concen: 51.509 ug/l
RT: 12.477 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10




Instrument :
MSVOA_Y
ClientSampleId :
31464


Tgt Ion: 95 Resp: 183467
Ion Ratio Lower Upper
95 100
174 80.5 0.0 178.2
176 77.2 0.0 173.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 1586
Delta R.T. 0.000 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10

Tgt Ion: 117 Resp: 393370
Ion Ratio Lower Upper
117 100
82 55.9 43.4 65.0
119 31.9 26.3 39.5









#68
m/p-Xylenes
Concen: 2.198 ug/l
RT: 11.703 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10




Instrument :
MSVOA_Y
ClientSampleId :
31464


Tgt Ion:106 Resp: 12701
Ion Ratio Lower Upper
106 100
91 213.4 166.1 249.1



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.422 min Scan# 1903
Delta R.T. -0.000 min
Lab File: VY014961.D
Acq: 03 Aug 2023 20:10

Tgt Ion:152 Resp: 187823
Ion Ratio Lower Upper
152 100
115 60.4 28.8 86.5
150 158.3 0.0 348.8





#84

1,2,4-Trimethylbenzene

Concen: 1.267 ug/l

RT: 13.117 min Scan# 1853

Delta R.T. 0.000 min

Lab File: VY014961.D

Acq: 03 Aug 2023 20:10

Instrument :

MSVOA_Y

ClientSampleId :





31464

Tgt Ion:105 Resp: 15274

Ion Ratio Lower Upper

105 100

120 41.9 22.2 66.6



#86

p-Isopropyltoluene

Concen: 1.644 ug/l

RT: 13.367 min Scan# 1894

Delta R.T. 0.000 min

Lab File: VY014961.D

Acq: 03 Aug 2023 20:10

Tgt Ion:119 Resp: 21459

Ion Ratio Lower Upper

119 100

134 27.1 13.3 39.8

91 23.8 12.4 37.4

