

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080823\
 Data File : VY014975.D
 Acq On : 08 Aug 2023 11:16
 Operator : SY/MD
 Sample : VY0808SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0808SBL01

Quant Time: Aug 08 15:51:47 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080723S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 08 07:44:56 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	214629	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	380089	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	368128	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	176414	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	138289	53.160	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	106.320%
35) Dibromofluoromethane	7.716	113	119520	49.173	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.340%
50) Toluene-d8	10.179	98	454919	49.173	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.340%
62) 4-Bromofluorobenzene	12.483	95	166916	50.907	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	101.820%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080823\
Data File : VY014975.D
Acq On : 08 Aug 2023 11:16
Operator : SY/MD
Sample : VY0808SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0808SBL01

Quant Time: Aug 08 15:51:47 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080723S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 08 07:44:56 2023
Response via : Initial Calibration

