

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081023\
 Data File : VY015035.D
 Acq On : 10 Aug 2023 18:13
 Operator : SY/MD
 Sample : 03954-16
 Misc : 3.68g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-20

Quant Time: Aug 11 01:57:42 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080723S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 08 07:44:56 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	235293	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	400336	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	394343	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	201869	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	145689	51.086	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	102.180%
35) Dibromofluoromethane	7.715	113	127177	49.677	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.360%
50) Toluene-d8	10.178	98	474503	48.696	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.400%
62) 4-Bromofluorobenzene	12.477	95	186030	53.867	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	107.740%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081023\
Data File : VY015035.D
Acq On : 10 Aug 2023 18:13
Operator : SY/MD
Sample : 03954-16
Misc : 3.68g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-20

Quant Time: Aug 11 01:57:42 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080723S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 08 07:44:56 2023
Response via : Initial Calibration

