

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081221\
 Data File : VY005624.D
 Acq On : 12 Aug 2021 15:52
 Operator : SY/MD
 Sample : M3331-10
 Misc : 6.12G/5ML/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BSY1-SB-14-0-1

Quant Time: Aug 13 04:23:09 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 03 04:52:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	237867	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	397436	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	355324	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	126585	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	143055	59.413	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.820%
35) Dibromofluoromethane	7.728	113	121514	54.609	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	109.220%
50) Toluene-d8	10.185	98	495302	53.075	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	106.140%
62) 4-Bromofluorobenzene	12.483	95	138343	44.766	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	89.540%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081221\
Data File : VY005624.D
Acq On : 12 Aug 2021 15:52
Operator : SY/MD
Sample : M3331-10
Misc : 6.12G/5ML/MSVOA_Y/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BSY1-SB-14-0-1

Quant Time: Aug 13 04:23:09 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 03 04:52:05 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.006 min
Lab File: VY005624.D
Acq: 12 Aug 2021 15:52




Instrument :
MSVOA_Y
ClientSampleId :
BSY1-SB-14-0-1


Tgt Ion:168 Resp: 237867
Ion Ratio Lower Upper
168 100
99 51.6 38.9 58.3



#33
1,2-Dichloroethane-d4
Concen: 59.413 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY005624.D
Acq: 12 Aug 2021 15:52

Tgt Ion: 65 Resp: 143055
Ion Ratio Lower Upper
65 100
67 51.4 0.0 103.4









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. -0.000 min
Lab File: VY005624.D
Acq: 12 Aug 2021 15:52




Instrument :
MSVOA_Y
ClientSampleId :
BSY1-SB-14-0-1

Tgt Ion:	114	Resp:	397436
Ion	Ratio	Lower	Upper
114	100		
63	20.4	0.0	39.2
88	14.9	0.0	30.8



#35
Dibromofluoromethane
Concen: 54.609 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY005624.D
Acq: 12 Aug 2021 15:52

Tgt Ion:	113	Resp:	121514
Ion	Ratio	Lower	Upper
113	100		
111	102.1	81.9	122.9
192	23.2	19.2	28.8









#50
Toluene-d8
Concen: 53.075 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY005624.D
Acq: 12 Aug 2021 15:52




Instrument :
MSVOA_Y
ClientSampleId :
BSY1-SB-14-0-1


Tgt Ion: 98 Resp: 495302
Ion Ratio Lower Upper
98 100
100 64.1 51.3 76.9



#62
4-Bromofluorobenzene
Concen: 44.766 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY005624.D
Acq: 12 Aug 2021 15:52

Tgt Ion: 95 Resp: 138343
Ion Ratio Lower Upper
95 100
174 94.2 0.0 191.4
176 91.6 0.0 183.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY005624.D
Acq: 12 Aug 2021 15:52

Instrument :
MSVOA_Y
ClientSampleId :
BSY1-SB-14-0-1

Tgt Ion:	117	Resp:	355324
Ion	Ratio	Lower	Upper
117	100		
82	54.7	43.5	65.3
119	32.5	25.5	38.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. -0.000 min
Lab File: VY005624.D
Acq: 12 Aug 2021 15:52

Tgt Ion:	152	Resp:	126585
Ion	Ratio	Lower	Upper
152	100		
115	55.2	27.3	81.9
150	157.3	0.0	350.2

