

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081321\
 Data File : VY005633.D
 Acq On : 13 Aug 2021 14:56
 Operator : SY/MD
 Sample : M3401-01
 Misc : 4.92G/5ML/MSVOA_Y/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BR-2-081221

Quant Time: Aug 14 03:35:01 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 03 04:52:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.795	168	240939	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	407933	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	403108	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	193767	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	137646	56.438	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 112.880%	
35) Dibromofluoromethane	7.728	113	122336	53.564	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 107.120%	
50) Toluene-d8	10.185	98	519012	54.185	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 108.360%	
62) 4-Bromofluorobenzene	12.483	95	177776	56.046	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 112.100%	
Target Compounds						
					Qvalue	
11) Tert butyl alcohol	4.942	59	2572	10.668	ug/l #	73
16) Acetone	3.954	43	34926	56.799	ug/l	94
31) Cyclohexane	7.795	56	4985	1.192	ug/l #	26
36) 1,1-Dichloropropene	7.795	75	17645	4.612	ug/l #	49
38) Carbon Tetrachloride	7.795	117	21861	5.257	ug/l #	17
76) 1,2,3-Trichloropropane	12.483	75	96907	48.261	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.483	75	96907	97.288	ug/l #	11


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081321\
Data File : VY005633.D
Acq On : 13 Aug 2021 14:56
Operator : SY/MD
Sample : M3401-01
Misc : 4.92G/5ML/MSVOA_Y/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BR-2-081221

Quant Time: Aug 14 03:35:01 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 03 04:52:05 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.006 min
Lab File: VY005633.D
Acq: 13 Aug 2021 14:56




Instrument :
MSVOA_Y
ClientSampleId :
BR-2-081221


Tgt Ion:168 Resp: 240939
Ion Ratio Lower Upper
168 100
99 50.9 38.9 58.3



#11
Tert butyl alcohol
Concen: 10.668 ug/l
RT: 4.942 min Scan# 512
Delta R.T. -0.024 min
Lab File: VY005633.D
Acq: 13 Aug 2021 14:56

Tgt Ion: 59 Resp: 2572
Ion Ratio Lower Upper
59 100
57 0.0 8.0 12.0#









#16
Acetone
Concen: 56.799 ug/l
RT: 3.954 min Scan# 350
Delta R.T. -0.006 min
Lab File: VY005633.D
Acq: 13 Aug 2021 14:56




Instrument :
MSVOA_Y
ClientSampleId :
BR-2-081221


Tgt Ion: 43 Resp: 34926
Ion Ratio Lower Upper
43 100
58 33.2 23.8 35.6



#31
Cyclohexane
Concen: 1.192 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.000 min
Lab File: VY005633.D
Acq: 13 Aug 2021 14:56

Tgt Ion: 56 Resp: 4985
Ion Ratio Lower Upper
56 100
69 140.8 27.7 41.5#
84 117.5 70.9 106.3#









#33
 1,2-Dichloroethane-d4
 Concen: 56.438 ug/l
 RT: 8.149 min Scan# 1038
 Delta R.T. -0.000 min
 Lab File: VY005633.D
 Acq: 13 Aug 2021 14:56




Instrument :
 MSVOA_Y
 ClientSampleId :
 BR-2-081221


Tgt Ion: 65 Resp: 137646
 Ion Ratio Lower Upper
 65 100
 67 52.2 0.0 103.4



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.697 min Scan# 1128
 Delta R.T. -0.000 min
 Lab File: VY005633.D
 Acq: 13 Aug 2021 14:56

Tgt Ion: 114 Resp: 407933
 Ion Ratio Lower Upper
 114 100
 63 20.4 0.0 39.2
 88 15.9 0.0 30.8









#35
Dibromofluoromethane
Concen: 53.564 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY005633.D
Acq: 13 Aug 2021 14:56




Instrument :
MSVOA_Y
ClientSampleId :
BR-2-081221


Tgt Ion:113 Resp: 122336
Ion Ratio Lower Upper
113 100
111 102.6 81.9 122.9
192 23.6 19.2 28.8



#36
1,1-Dichloropropene
Concen: 4.612 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.128 min
Lab File: VY005633.D
Acq: 13 Aug 2021 14:56

Tgt Ion: 75 Resp: 17645
Ion Ratio Lower Upper
75 100
110 8.5 18.1 54.1#
77 0.0 25.1 37.7#









#38
Carbon Tetrachloride
Concen: 5.257 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.116 min
Lab File: VY005633.D
Acq: 13 Aug 2021 14:56




Instrument :
MSVOA_Y
ClientSampleId :
BR-2-081221


Tgt Ion:117 Resp: 21861
Ion Ratio Lower Upper
117 100
119 5.1 75.4 113.0#
121 0.0 25.1 37.7#



#50
Toluene-d8
Concen: 54.185 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY005633.D
Acq: 13 Aug 2021 14:56

Tgt Ion: 98 Resp: 519012
Ion Ratio Lower Upper
98 100
100 63.9 51.3 76.9









#62
4-Bromofluorobenzene
Concen: 56.046 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY005633.D
Acq: 13 Aug 2021 14:56




Instrument :
MSVOA_Y
ClientSampleId :
BR-2-081221


Tgt Ion: 95 Resp: 177776
Ion Ratio Lower Upper
95 100
174 94.2 0.0 191.4
176 91.5 0.0 183.6



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 1586
Delta R.T. -0.006 min
Lab File: VY005633.D
Acq: 13 Aug 2021 14:56

Tgt Ion: 117 Resp: 403108
Ion Ratio Lower Upper
117 100
82 56.9 43.5 65.3
119 31.9 25.5 38.3









#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 13.428 min Scan# 1904
 Delta R.T. -0.000 min
 Lab File: VY005633.D
 Acq: 13 Aug 2021 14:56




Instrument :
 MSVOA_Y
 ClientSampleId :
 BR-2-081221


Tgt Ion:152 Resp: 193767
 Ion Ratio Lower Upper
 152 100
 115 55.5 27.3 81.9
 150 158.8 0.0 350.2



#76
 1,2,3-Trichloropropane
 Concen: 48.261 ug/l
 RT: 12.483 min Scan# 1749
 Delta R.T. -0.153 min
 Lab File: VY005633.D
 Acq: 13 Aug 2021 14:56


Tgt Ion: 75 Resp: 96907
 Ion Ratio Lower Upper
 75 100
 77 1.3 0.0 0.0#





#81
 trans-1,4-Dichloro-2-butene
 Concen: 97.288 ug/l
 RT: 12.483 min Scan# 1749
 Delta R.T. 0.104 min
 Lab File: VY005633.D
 Acq: 13 Aug 2021 14:56

Instrument :
 MSVOA_Y
 ClientSampleId :
 BR-2-081221



Tgt Ion: 75 Resp: 96907
 Ion Ratio Lower Upper
 75 100
 53 0.0 76.7 115.1#
 89 0.1 38.4 57.6#

