

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
 Data File : VY023060.D
 Acq On : 13 Aug 2025 10:39
 Operator : SY/MD
 Sample : VY0813SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0813SBL01

Quant Time: Aug 14 01:20:15 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	552605	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	1076478	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	906449	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	384760	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	301370	57.222	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.440%
35) Dibromofluoromethane	7.628	113	344686	53.512	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	107.020%
50) Toluene-d8	10.103	98	1193438	47.427	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.860%
62) 4-Bromofluorobenzene	12.401	95	382126	47.220	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	94.440%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
Data File : VY023060.D
Acq On : 13 Aug 2025 10:39
Operator : SY/MD
Sample : VY0813SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0813SBL01

Quant Time: Aug 14 01:20:15 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

