

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
 Data File : VY023066.D
 Acq On : 13 Aug 2025 13:45
 Operator : SY/MD
 Sample : Q2830-05
 Misc : 5.50g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BIN0009-DRIVEWAY-TP-WESTSIDE

Quant Time: Aug 14 01:23:38 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.701	168	304361	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	544163	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	450649	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	178387	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	170038	58.618	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	117.240%
35) Dibromofluoromethane	7.628	113	180062	55.300	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	110.600%
50) Toluene-d8	10.103	98	630007	49.528	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.060%
62) 4-Bromofluorobenzene	12.401	95	176986	43.264	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	86.520%
Target Compounds						
						Qvalue
16) Acetone	3.866	43	13999	22.276	ug/l	95
25) 2-Butanone	6.890	43	4867	5.694	ug/l	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
Data File : VY023066.D
Acq On : 13 Aug 2025 13:45
Operator : SY/MD
Sample : Q2830-05
Misc : 5.50g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BIN0009-DRIVEWAY-TP-WESTSIDE

Quant Time: Aug 14 01:23:38 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

