

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
 Data File : VY023067.D
 Acq On : 13 Aug 2025 14:08
 Operator : SY/MD
 Sample : Q2830-07
 Misc : 5.44g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BIN0009-DRIVEWAY-TP-EASTSIDE

Quant Time: Aug 14 01:23:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.701	168	513899	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	1006220	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	906467	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	375322	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	310896	63.477	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	126.960%
35) Dibromofluoromethane	7.628	113	334606	55.574	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	111.140%
50) Toluene-d8	10.103	98	1199237	50.985	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.980%
62) 4-Bromofluorobenzene	12.401	95	372355	49.225	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	98.440%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
Data File : VY023067.D
Acq On : 13 Aug 2025 14:08
Operator : SY/MD
Sample : Q2830-07
Misc : 5.44g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BIN0009-DRIVEWAY-TP-EASTSIDE

Quant Time: Aug 14 01:23:58 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

