

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
 Data File : VY023060.D
 Acq On : 13 Aug 2025 10:39
 Operator : SY/MD
 Sample : VY0813SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0813SBL01

Quant Time: Aug 14 01:20:15 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	552605	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	1076478	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	906449	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	384760	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	301370	57.222	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.440%
35) Dibromofluoromethane	7.628	113	344686	53.512	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	107.020%
50) Toluene-d8	10.103	98	1193438	47.427	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.860%
62) 4-Bromofluorobenzene	12.401	95	382126	47.220	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	94.440%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
Data File : VY023060.D
Acq On : 13 Aug 2025 10:39
Operator : SY/MD
Sample : VY0813SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0813SBL01

Quant Time: Aug 14 01:20:15 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY023060.D
Acq: 13 Aug 2025 10:39




Instrument :
MSVOA_Y
ClientSampleId :
VY0813SBL01


Tgt Ion:168 Resp: 552605
Ion Ratio Lower Upper
168 100
99 55.3 42.8 64.2



#33
1,2-Dichloroethane-d4
Concen: 57.222 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.006 min
Lab File: VY023060.D
Acq: 13 Aug 2025 10:39

Tgt Ion: 65 Resp: 301370
Ion Ratio Lower Upper
65 100
67 52.2 0.0 106.8









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.609 min Scan# 1130
Delta R.T. 0.000 min
Lab File: VY023060.D
Acq: 13 Aug 2025 10:39




Instrument :
MSVOA_Y
ClientSampleId :
VY0813SBL01


Tgt Ion:114 Resp: 1076478
Ion Ratio Lower Upper
114 100
63 19.7 0.0 38.4
88 15.2 0.0 30.0



#35
Dibromofluoromethane
Concen: 53.512 ug/l
RT: 7.628 min Scan# 969
Delta R.T. 0.000 min
Lab File: VY023060.D
Acq: 13 Aug 2025 10:39

Tgt Ion:113 Resp: 344686
Ion Ratio Lower Upper
113 100
111 101.7 81.1 121.7
192 20.1 16.2 24.4









#50
Toluene-d8
Concen: 47.427 ug/l
RT: 10.103 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY023060.D
Acq: 13 Aug 2025 10:39




Instrument :
MSVOA_Y
ClientSampleId :
VY0813SBL01


Tgt Ion: 98 Resp: 1193438
Ion Ratio Lower Upper
98 100
100 65.0 52.3 78.5



#62
4-Bromofluorobenzene
Concen: 47.220 ug/l
RT: 12.401 min Scan# 1752
Delta R.T. 0.000 min
Lab File: VY023060.D
Acq: 13 Aug 2025 10:39

Tgt Ion: 95 Resp: 382126
Ion Ratio Lower Upper
95 100
174 85.4 0.0 171.6
176 83.5 0.0 167.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. 0.006 min

Lab File: VY023060.D

Acq: 13 Aug 2025 10:39

Instrument :

MSVOA_Y

ClientSampleId :

VY0813SBL01





Tgt Ion:117 Resp: 906449

Ion Ratio Lower Upper

117 100

82 54.5 43.4 65.0

119 32.1 25.6 38.4



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.340 min Scan# 1906

Delta R.T. 0.000 min

Lab File: VY023060.D

Acq: 13 Aug 2025 10:39

Tgt Ion:152 Resp: 384760

Ion Ratio Lower Upper

152 100

115 57.0 28.2 84.6

150 154.9 0.0 348.0

