

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
 Data File : VY023079.D
 Acq On : 13 Aug 2025 18:51
 Operator : SY/MD
 Sample : Q2819-17
 Misc : 9.40g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 38M-N

Quant Time: Aug 14 01:28:24 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	669452	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.610	114	1354583	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1228757	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	509432	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	414417	64.952	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	129.900%
35) Dibromofluoromethane	7.634	113	432425	53.350	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	106.700%
50) Toluene-d8	10.103	98	1670308	52.750	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	105.500%
62) 4-Bromofluorobenzene	12.402	95	508089	49.895	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	99.780%


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
Data File : VY023079.D
Acq On : 13 Aug 2025 18:51
Operator : SY/MD
Sample : Q2819-17
Misc : 9.40g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
38M-N

Quant Time: Aug 14 01:28:24 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY023079.D
Acq: 13 Aug 2025 18:51




Instrument :
MSVOA_Y
ClientSampleId :
38M-N

Tgt Ion:168 Resp: 669452
Ion Ratio Lower Upper
168 100
99 52.7 42.8 64.2



#33
1,2-Dichloroethane-d4
Concen: 64.952 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.006 min
Lab File: VY023079.D
Acq: 13 Aug 2025 18:51

Tgt Ion: 65 Resp: 414417
Ion Ratio Lower Upper
65 100
67 52.7 0.0 106.8








#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.610 min Scan# 1130
Delta R.T. 0.000 min
Lab File: VY023079.D
Acq: 13 Aug 2025 18:51




Instrument :
MSVOA_Y
ClientSampleId :
38M-N


Tgt Ion:114 Resp: 1354583
Ion Ratio Lower Upper
114 100
63 19.7 0.0 38.4
88 15.7 0.0 30.0



#35
Dibromofluoromethane
Concen: 53.350 ug/l
RT: 7.634 min Scan# 970
Delta R.T. 0.006 min
Lab File: VY023079.D
Acq: 13 Aug 2025 18:51

Tgt Ion:113 Resp: 432425
Ion Ratio Lower Upper
113 100
111 103.7 81.1 121.7
192 19.5 16.2 24.4









#50
Toluene-d8
Concen: 52.750 ug/l
RT: 10.103 min Scan# 1375
Delta R.T. 0.000 min
Lab File: VY023079.D
Acq: 13 Aug 2025 18:51




Instrument :
MSVOA_Y
ClientSampleId :
38M-N


Tgt Ion: 98 Resp: 1670308
Ion Ratio Lower Upper
98 100
100 65.2 52.3 78.5



#62
4-Bromofluorobenzene
Concen: 49.895 ug/l
RT: 12.402 min Scan# 1752
Delta R.T. 0.000 min
Lab File: VY023079.D
Acq: 13 Aug 2025 18:51

Tgt Ion: 95 Resp: 508089
Ion Ratio Lower Upper
95 100
174 85.6 0.0 171.6
176 82.9 0.0 167.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY023079.D
Acq: 13 Aug 2025 18:51

Instrument :
MSVOA_Y
ClientSampleId :
38M-N

Tgt Ion:117 Resp: 1228757
Ion Ratio Lower Upper
117 100
82 53.7 43.4 65.0
119 32.7 25.6 38.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.340 min Scan# 1906
Delta R.T. 0.000 min
Lab File: VY023079.D
Acq: 13 Aug 2025 18:51

Tgt Ion:152 Resp: 509432
Ion Ratio Lower Upper
152 100
115 57.5 28.2 84.6
150 156.3 0.0 348.0

