

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081422\
 Data File : VY010024.D
 Acq On : 15 Aug 2022 01:41
 Operator : KP/MD
 Sample : N4046-17
 Misc : 6.92g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BEACONPOINT-BACKFILL-09

Quant Time: Aug 15 06:24:27 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081222S.M
 Quant Title : SW846 8260
 QLast Update : Sat Aug 13 02:54:57 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	68927	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	132390	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	133706	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	60563	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	38334	54.826	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	109.660%
35) Dibromofluoromethane	7.710	113	37506	46.288	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	92.580%
50) Toluene-d8	10.179	98	135628	43.685	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	87.360%
62) 4-Bromofluorobenzene	12.483	95	46565	40.936	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	81.880%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081422\
Data File : VY010024.D
Acq On : 15 Aug 2022 01:41
Operator : KP/MD
Sample : N4046-17
Misc : 6.92g/5.0mL/MSVOA_Y/soil
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BEACONPOINT-BACKFILL-09

Quant Time: Aug 15 06:24:27 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081222S.M
Quant Title : SW846 8260
QLast Update : Sat Aug 13 02:54:57 2022
Response via : Initial Calibration

