

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081523\
 Data File : VY015119.D
 Acq On : 15 Aug 2023 21:46
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 16 01:33:56 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081423S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 14 12:43:26 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.253	0.217	14.2	87	0.00
3 P	Chloromethane	0.347	0.316	8.9	90	0.00
4 C	Vinyl Chloride	0.398	0.398	0.0	91	0.00
5 T	Bromomethane	0.291	0.313	-7.6	93	0.00
6 T	Chloroethane	0.289	0.305	-5.5	92	0.00
7 T	Trichlorofluoromethane	0.670	0.670	0.0	91	0.00
8 T	Diethyl Ether	0.263	0.268	-1.9	91	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.417	0.416	0.2	90	0.00
10 T	Methyl Iodide	0.409	0.417	-2.0	84	0.00
11 T	Tert butyl alcohol	0.116	0.096	17.2	85	0.02
12 CM	1,1-Dichloroethene	0.348	0.342	1.7#	87	0.00
13 T	Acrolein	0.056	0.038	32.1#	92	0.00
14 T	Allyl chloride	0.617	0.575	6.8	81	0.00
15 T	Acrylonitrile	0.178	0.192	-7.9	94	0.00
16 T	Acetone	0.196	0.163	16.8	70	0.00
17 T	Carbon Disulfide	0.612	0.589	3.8	82	0.00
18 T	Methyl Acetate	0.719	0.851	-18.4	103	0.01
19 T	Methyl tert-butyl Ether	1.479	1.527	-3.2	90	0.01
20 T	Methylene Chloride	0.570	0.508	10.9	92	0.00
21 T	trans-1,2-Dichloroethene	0.392	0.392	0.0	88	0.00
22 T	Diisopropyl ether	1.539	1.506	2.1	86	0.01
23 T	Vinyl Acetate	0.918	0.881	4.0	82	0.00
24 P	1,1-Dichloroethane	0.833	0.831	0.2	88	0.01
25 T	2-Butanone	0.278	0.277	0.4	87	0.01
26 T	2,2-Dichloropropane	0.803	0.648	19.3	74	0.00
27 T	cis-1,2-Dichloroethene	0.536	0.540	-0.7	89	0.00
28 T	Bromochloromethane	0.383	0.379	1.0	88	0.00
29 T	Tetrahydrofuran	0.166	0.178	-7.2	93	0.00
30 C	Chloroform	0.934	0.953	-2.0#	90	0.00
31 T	Cyclohexane	0.597	0.534	10.6	84	0.01
32 T	1,1,1-Trichloroethane	0.795	0.801	-0.8	89	0.00
33 S	1,2-Dichloroethane-d4	0.600	0.626	-4.3	89	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	85	0.00
35 S	Dibromofluoromethane	0.322	0.344	-6.8	89	0.00
36 T	1,1-Dichloropropene	0.356	0.357	-0.3	86	0.00
37 T	Ethyl Acetate	0.332	0.342	-3.0	90	0.00
38 T	Carbon Tetrachloride	0.421	0.439	-4.3	90	0.00
39 T	Methylcyclohexane	0.399	0.402	-0.8	87	0.00
40 TM	Benzene	1.076	1.111	-3.3	89	0.00
41 T	Methacrylonitrile	0.171	0.174	-1.8	82	0.00
42 TM	1,2-Dichloroethane	0.391	0.419	-7.2	91	0.00
43 T	Isopropyl Acetate	0.604	0.625	-3.5	89	0.00
44 TM	Trichloroethene	0.310	0.327	-5.5	91	0.00
45 C	1,2-Dichloropropane	0.303	0.310	-2.3#	88	0.00
46 T	Dibromomethane	0.191	0.209	-9.4	92	0.00
47 T	Bromodichloromethane	0.457	0.488	-6.8	91	0.00
48 T	Methyl methacrylate	0.258	0.280	-8.5	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081523\
 Data File : VY015119.D
 Acq On : 15 Aug 2023 21:46
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 16 01:33:56 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081423S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 14 12:43:26 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.004	0.004	0.0	90	0.00
50 S	Toluene-d8	1.197	1.250	-4.4	87	0.00
51 T	4-Methyl-2-Pentanone	0.350	0.393	-12.3	95	0.00
52 CM	Toluene	0.709	0.735	-3.7#	89	0.00
53 T	t-1,3-Dichloropropene	0.480	0.483	-0.6	86	0.00
54 T	cis-1,3-Dichloropropene	0.505	0.511	-1.2	86	0.00
55 T	1,1,2-Trichloroethane	0.291	0.314	-7.9	93	0.00
56 T	Ethyl methacrylate	0.426	0.458	-7.5	90	0.00
57 T	1,3-Dichloropropane	0.475	0.508	-6.9	91	0.00
58 T	2-Chloroethyl Vinyl ether	0.198	0.206	-4.0	91	0.00
59 T	2-Hexanone	0.259	0.289	-11.6	94	0.00
60 T	Dibromochloromethane	0.347	0.381	-9.8	93	0.00
61 T	1,2-Dibromoethane	0.276	0.300	-8.7	93	0.00
62 S	4-Bromofluorobenzene	0.437	0.464	-6.2	90	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	86	0.00
64 T	Tetrachloroethene	0.348	0.392	-12.6	99	0.00
65 PM	Chlorobenzene	0.911	0.933	-2.4	90	0.00
66 T	1,1,1,2-Tetrachloroethane	0.370	0.393	-6.2	93	0.00
67 C	Ethyl Benzene	1.596	1.621	-1.6#	90	0.00
68 T	m/p-Xylenes	0.606	0.614	-1.3	89	0.00
69 T	o-Xylene	0.604	0.625	-3.5	91	0.00
70 T	Styrene	1.045	1.090	-4.3	91	0.00
71 P	Bromoform	0.268	0.289	-7.8	94	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	87	0.00
73 T	Isopropylbenzene	3.215	3.229	-0.4	91	0.00
74 T	N-amyl acetate	1.161	1.162	-0.1	87	0.00
75 P	1,1,2,2-Tetrachloroethane	0.837	0.884	-5.6	94	0.00
76 T	1,2,3-Trichloropropane	0.607	0.697	-14.8	105	0.00
77 T	Bromobenzene	0.784	0.803	-2.4	93	0.00
78 T	n-propylbenzene	3.818	3.804	0.4	91	0.00
79 T	2-Chlorotoluene	2.203	2.211	-0.4	91	0.00
80 T	1,3,5-Trimethylbenzene	2.680	2.711	-1.2	91	0.00
81 T	trans-1,4-Dichloro-2-butene	0.277	0.274	1.1	85	0.00
82 T	4-Chlorotoluene	2.275	2.307	-1.4	91	0.00
83 T	tert-Butylbenzene	2.451	2.466	-0.6	90	0.00
84 T	1,2,4-Trimethylbenzene	2.678	2.710	-1.2	90	0.00
85 T	sec-Butylbenzene	3.592	3.651	-1.6	92	0.00
86 T	p-Isopropyltoluene	2.978	3.023	-1.5	91	0.00
87 T	1,3-Dichlorobenzene	1.554	1.582	-1.8	92	0.00
88 T	1,4-Dichlorobenzene	1.559	1.597	-2.4	92	0.00
89 T	n-Butylbenzene	2.808	2.811	-0.1	89	0.00
90 T	Hexachloroethane	0.591	0.603	-2.0	93	0.00
91 T	1,2-Dichlorobenzene	1.452	1.504	-3.6	93	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.162	0.183	-13.0	100	0.00
93 T	1,2,4-Trichlorobenzene	0.932	0.963	-3.3	92	0.00
94 T	Hexachlorobutadiene	0.507	0.516	-1.8	94	0.00
95 T	Naphthalene	2.322	2.542	-9.5	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081523\
Data File : VY015119.D
Acq On : 15 Aug 2023 21:46
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Aug 16 01:33:56 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081423S.M
Quant Title : SW846 8260
QLast Update : Mon Aug 14 12:43:26 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.842	0.912	-8.3	98	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5