

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081621\
 Data File : VY005670.D
 Acq On : 16 Aug 2021 15:08
 Operator : SY/MD
 Sample : M3431-01
 Misc : 6.04G/5ML/MSVOA_Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 1

Quant Time: Aug 17 05:19:18 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 03 04:52:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	169826	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	288515	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	288464	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	140642	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	112624	65.515	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	131.020%
35) Dibromofluoromethane	7.728	113	88635	54.871	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	109.740%
50) Toluene-d8	10.185	98	368819	54.442	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	108.880%
62) 4-Bromofluorobenzene	12.483	95	124599	55.540	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	111.080%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081621\
Data File : VY005670.D
Acq On : 16 Aug 2021 15:08
Operator : SY/MD
Sample : M3431-01
Misc : 6.04G/5ML/MSVOA_Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
1

Quant Time: Aug 17 05:19:18 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 03 04:52:05 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.006 min
Lab File: VY005670.D
Acq: 16 Aug 2021 15:08




Instrument :
MSVOA_Y
ClientSampled :
1


Tgt Ion:168 Resp: 169826
Ion Ratio Lower Upper
168 100
99 50.3 38.9 58.3



#33
1,2-Dichloroethane-d4
Concen: 65.515 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY005670.D
Acq: 16 Aug 2021 15:08

Tgt Ion: 65 Resp: 112624
Ion Ratio Lower Upper
65 100
67 50.3 0.0 103.4








#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. -0.000 min
Lab File: VY005670.D
Acq: 16 Aug 2021 15:08




Instrument :
MSVOA_Y
ClientSampleId :
1


Tgt Ion:	114	Resp:	288515
Ion	Ratio	Lower	Upper
114	100		
63	20.0	0.0	39.2
88	14.7	0.0	30.8



#35
Dibromofluoromethane
Concen: 54.871 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY005670.D
Acq: 16 Aug 2021 15:08

Tgt Ion:	113	Resp:	88635
Ion	Ratio	Lower	Upper
113	100		
111	102.0	81.9	122.9
192	23.4	19.2	28.8









#50
Toluene-d8
Concen: 54.442 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY005670.D
Acq: 16 Aug 2021 15:08




Instrument :
MSVOA_Y
ClientSampled :
1


Tgt Ion: 98 Resp: 368819
Ion Ratio Lower Upper
98 100
100 63.3 51.3 76.9



#62
4-Bromofluorobenzene
Concen: 55.540 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY005670.D
Acq: 16 Aug 2021 15:08

Tgt Ion: 95 Resp: 124599
Ion Ratio Lower Upper
95 100
174 97.7 0.0 191.4
176 94.2 0.0 183.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY005670.D
Acq: 16 Aug 2021 15:08

Instrument :
MSVOA_Y
ClientSampled :
1

Tgt Ion:	117	Resp:	288464
Ion	Ratio	Lower	Upper
117	100		
82	52.6	43.5	65.3
119	32.2	25.5	38.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.422 min Scan# 1903
Delta R.T. -0.006 min
Lab File: VY005670.D
Acq: 16 Aug 2021 15:08

Tgt Ion:	152	Resp:	140642
Ion	Ratio	Lower	Upper
152	100		
115	53.3	27.3	81.9
150	154.8	0.0	350.2

