

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081921\
 Data File : VY005775.D
 Acq On : 19 Aug 2021 17:30
 Operator : SY/MD
 Sample : M3418-14
 Misc : 5.08G/5ML/MSVOA_Y/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SWCS-11-1015

Quant Time: Aug 20 06:58:05 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 03 04:52:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	203908	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	312849	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	330334	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	172361	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	120110	58.191	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	116.380%
35) Dibromofluoromethane	7.728	113	110858	63.291	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	126.580%
50) Toluene-d8	10.185	98	404846	55.111	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	110.220%
62) 4-Bromofluorobenzene	12.483	95	145207	59.692	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	119.380%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081921\
Data File : VY005775.D
Acq On : 19 Aug 2021 17:30
Operator : SY/MD
Sample : M3418-14
Misc : 5.08G/5ML/MSVOA_Y/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SWCS-11-1015

Quant Time: Aug 20 06:58:05 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 03 04:52:05 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.006 min
Lab File: VY005775.D
Acq: 19 Aug 2021 17:30




Instrument :
MSVOA_Y
ClientSampleId :
SWCS-11-1015


Tgt Ion:168 Resp: 203908
Ion Ratio Lower Upper
168 100
99 51.7 38.9 58.3



#33
1,2-Dichloroethane-d4
Concen: 58.191 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY005775.D
Acq: 19 Aug 2021 17:30

Tgt Ion: 65 Resp: 120110
Ion Ratio Lower Upper
65 100
67 51.4 0.0 103.4









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. -0.000 min
Lab File: VY005775.D
Acq: 19 Aug 2021 17:30




Instrument :
MSVOA_Y
ClientSampleId :
SWCS-11-1015


Tgt Ion:	114	Resp:	312849
Ion	Ratio	Lower	Upper
114	100		
63	20.0	0.0	39.2
88	15.3	0.0	30.8



#35
Dibromofluoromethane
Concen: 63.291 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY005775.D
Acq: 19 Aug 2021 17:30

Tgt Ion:	113	Resp:	110858
Ion	Ratio	Lower	Upper
113	100		
111	102.7	81.9	122.9
192	23.4	19.2	28.8









#50
Toluene-d8
Concen: 55.111 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY005775.D
Acq: 19 Aug 2021 17:30




Instrument :
MSVOA_Y
ClientSampleId :
SWCS-11-1015


Tgt Ion: 98 Resp: 404846
Ion Ratio Lower Upper
98 100
100 63.3 51.3 76.9



#62
4-Bromofluorobenzene
Concen: 59.692 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY005775.D
Acq: 19 Aug 2021 17:30

Tgt Ion: 95 Resp: 145207
Ion Ratio Lower Upper
95 100
174 96.2 0.0 191.4
176 92.7 0.0 183.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 1586
Delta R.T. -0.006 min
Lab File: VY005775.D
Acq: 19 Aug 2021 17:30

Instrument :
MSVOA_Y
ClientSampleId :
SWCS-11-1015

Tgt Ion:117 Resp: 330334
Ion Ratio Lower Upper
117 100
82 54.8 43.5 65.3
119 31.3 25.5 38.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. -0.000 min
Lab File: VY005775.D
Acq: 19 Aug 2021 17:30

Tgt Ion:152 Resp: 172361
Ion Ratio Lower Upper
152 100
115 54.1 27.3 81.9
150 157.5 0.0 350.2

