

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081922\
 Data File : VY010130.D
 Acq On : 20 Aug 2022 02:49
 Operator : KP/MD
 Sample : N4142-04
 Misc : 6.45g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 UST-WEST

Quant Time: Aug 22 02:52:07 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081922S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 22 02:37:07 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	206202	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	391719	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	371832	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	168395	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	103897	61.514	ug/l	0.00
Spiked Amount	50.000	Range 50 - 163	Recovery	=	123.020%	
35) Dibromofluoromethane	7.710	113	107305	48.614	ug/l	0.00
Spiked Amount	50.000	Range 54 - 147	Recovery	=	97.220%	
50) Toluene-d8	10.179	98	401532	48.548	ug/l	0.00
Spiked Amount	50.000	Range 49 - 140	Recovery	=	97.100%	
62) 4-Bromofluorobenzene	12.477	95	131637	44.546	ug/l	0.00
Spiked Amount	50.000	Range 25 - 144	Recovery	=	89.100%	
Target Compounds						
17) Carbon Disulfide	4.180	76	75726	12.553	ug/l	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081922\
Data File : VY010130.D
Acq On : 20 Aug 2022 02:49
Operator : KP/MD
Sample : N4142-04
Misc : 6.45g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
UST-WEST

Quant Time: Aug 22 02:52:07 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081922S.M
Quant Title : SW846 8260
QLast Update : Mon Aug 22 02:37:07 2022
Response via : Initial Calibration

