

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081922\
 Data File : VY010139.D
 Acq On : 20 Aug 2022 06:20
 Operator : KP/MD
 Sample : N4205-07
 Misc : 5.04g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SS-7

Quant Time: Aug 22 02:55:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081922S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 22 02:37:07 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	163749	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	314988	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	316262	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	145958	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	90920	67.787	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	135.580%
35) Dibromofluoromethane	7.716	113	88516	49.871	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.740%
50) Toluene-d8	10.179	98	326499	49.093	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	98.180%
62) 4-Bromofluorobenzene	12.477	95	107590	45.277	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	90.560%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081922\
Data File : VY010139.D
Acq On : 20 Aug 2022 06:20
Operator : KP/MD
Sample : N4205-07
Misc : 5.04g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 52 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SS-7

Quant Time: Aug 22 02:55:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081922S.M
Quant Title : SW846 8260
QLast Update : Mon Aug 22 02:37:07 2022
Response via : Initial Calibration

