

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082222\
 Data File : VY010144.D
 Acq On : 22 Aug 2022 15:24
 Operator : KP/MD
 Sample : VY0822SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0822SBL01

Quant Time: Aug 22 16:15:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081922S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 22 02:37:07 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	207163	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	339352	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	307922	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	148781	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	89741	52.887	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	105.780%
35) Dibromofluoromethane	7.710	113	95793	50.096	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.200%
50) Toluene-d8	10.179	98	308863	43.107	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	86.220%
62) 4-Bromofluorobenzene	12.483	95	112981	44.132	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	88.260%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082222\
Data File : VY010144.D
Acq On : 22 Aug 2022 15:24
Operator : KP/MD
Sample : VY0822SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0822SBL01

Quant Time: Aug 22 16:15:26 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081922S.M
Quant Title : SW846 8260
QLast Update : Mon Aug 22 02:37:07 2022
Response via : Initial Calibration

