

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082223\
 Data File : VY015241.D
 Acq On : 22 Aug 2023 13:53
 Operator : SY/MD
 Sample : 04086-12
 Misc : 5.03g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 B-PP14B

Quant Time: Aug 22 14:28:10 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081423S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 14 12:43:26 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	3949	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	6367	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	5895	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	2577	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	3522	74.297	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	148.600%
35) Dibromofluoromethane	7.716	113	1761	42.992	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	85.980%
50) Toluene-d8	10.179	98	7568	49.632	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.260%
62) 4-Bromofluorobenzene	12.477	95	2510	45.068	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	90.140%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082223\
Data File : VY015241.D
Acq On : 22 Aug 2023 13:53
Operator : SY/MD
Sample : 04086-12
Misc : 5.03g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
B-PP14B

Quant Time: Aug 22 14:28:10 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081423S.M
Quant Title : SW846 8260
QLast Update : Mon Aug 14 12:43:26 2023
Response via : Initial Calibration

