

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082521\
 Data File : VY005846.D
 Acq On : 25 Aug 2021 17:35
 Operator : SY/MD
 Sample : M3524-07
 Misc : 5.04G/5ML/MSVOA_Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PE-7

Quant Time: Aug 26 03:38:46 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 03 04:52:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	0.000	168	0	0.000	ug/l	-7.80
34) 1,4-Difluorobenzene	0.000	114	0	0.000	ug/l	-8.70
63) Chlorobenzene-d5	0.000	117	0	0.000	ug/l	-11.50
72) 1,4-Dichlorobenzene-d4	0.000	152	0	0.000	ug/l	-13.43
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	0.000	65	0	0.000	ug/l	
Spiked Amount	50.000	Range	50 - 163	Recovery	=	0.000%#
35) Dibromofluoromethane	0.000	113	0	0.000	ug/l	
Spiked Amount	50.000	Range	54 - 147	Recovery	=	0.000%#
50) Toluene-d8	0.000	98	0	0.000	ug/l	
Spiked Amount	50.000	Range	49 - 140	Recovery	=	0.000%#
62) 4-Bromofluorobenzene	0.000	95	0	0.000	ug/l	
Spiked Amount	50.000	Range	25 - 144	Recovery	=	0.000%#


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082521\
Data File : VY005846.D
Acq On : 25 Aug 2021 17:35
Operator : SY/MD
Sample : M3524-07
Misc : 5.04G/5ML/MSVOA_Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PE-7

Quant Time: Aug 26 03:38:46 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 03 04:52:05 2021
Response via : Initial Calibration







#1
 Pentafluorobenzene
 Concen: 0.000 ug/l
 Expected RT: 7.80 min

Lab File: VY005846.D
 Acq: 25 Aug 2021 17:35

Tgt Ion: 168
 Sig Exp Ratio
 168 100
 99 48.6


Instrument :
 MSVOA_Y
 ClientSampleId :
 PE-7




#33
 1,2-Dichloroethane-d4
 Concen: 0.000 ug/l
 Expected RT: 8.15 min

Lab File: VY005846.D
 Acq: 25 Aug 2021 17:35

Tgt Ion: 65
 Sig Exp Ratio
 65 100
 67 51.7







#34
 1,4-Difluorobenzene
 Concen: 0.000 ug/l
 Expected RT: 8.70 min

Lab File: VY005846.D
 Acq: 25 Aug 2021 17:35

Tgt Ion	Sig	Exp Ratio
114	100	
63	19.6	
88	15.4	


Instrument :
 MSVOA_Y
 ClientSampleId :
 PE-7




#35
 Dibromofluoromethane
 Concen: 0.000 ug/l
 Expected RT: 7.73 min

Lab File: VY005846.D
 Acq: 25 Aug 2021 17:35

Tgt Ion	Sig	Exp Ratio
113	100	
111	102.4	
192	24.0	







#50
Toluene-d8
Concen: 0.000 ug/l
Expected RT: 10.18 min

Lab File: VY005846.D
Acq: 25 Aug 2021 17:35

Instrument :
MSVOA_Y
ClientSampleId :
PE-7


Tgt Ion: 98
Sig Exp Ratio
98 100
100 64.1




#62
4-Bromofluorobenzene
Concen: 0.000 ug/l
Expected RT: 12.48 min

Lab File: VY005846.D
Acq: 25 Aug 2021 17:35

Tgt Ion: 95
Sig Exp Ratio
95 100
174 95.7
176 91.8







#63
 Chlorobenzene-d5
 Concen: 0.000 ug/l
 Expected RT: 11.50 min

Lab File: VY005846.D
 Acq: 25 Aug 2021 17:35

Instrument :
 MSVOA_Y
 ClientSampleId :
 PE-7

Tgt Ion: 117

Sig	Exp Ratio
117	100
82	54.4
119	31.9



#72
 1,4-Dichlorobenzene-d4
 Concen: 0.000 ug/l
 Expected RT: 13.43 min

Lab File: VY005846.D
 Acq: 25 Aug 2021 17:35

Tgt Ion: 152

Sig	Exp Ratio
152	100
115	54.6
150	175.1

