

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082621\
 Data File : VY005860.D
 Acq On : 26 Aug 2021 14:55
 Operator : SY/MD
 Sample : M3547-03
 Misc : 5.07G/5ML/MSVOA_Y/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PE-2

Quant Time: Aug 27 03:26:03 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 03 04:52:05 2021
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	17592	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	26671	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	23685	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	9961	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	9119	51.209	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 102.420%	
35) Dibromofluoromethane	7.728	113	7517	50.340	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 100.680%	
50) Toluene-d8	10.185	98	31942	51.005	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 102.000%	
62) 4-Bromofluorobenzene	12.483	95	9295	44.820	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 89.640%	
Target Compounds						
20) Methylene Chloride	4.722	84	2461	8.836	ug/l	Qvalue 83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082621\
Data File : VY005860.D
Acq On : 26 Aug 2021 14:55
Operator : SY/MD
Sample : M3547-03
Misc : 5.07G/5ML/MSVOA_Y/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PE-2

Quant Time: Aug 27 03:26:03 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 03 04:52:05 2021
Response via : Initial Calibration

