

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY083021\
 Data File : VY005894.D
 Acq On : 30 Aug 2021 15:27
 Operator : SY/MD
 Sample : M3577-01
 Misc : 6.13G/5ML/MSVOA_Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 191-0827-B1-0-2

Quant Time: Aug 31 02:51:25 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 03 04:52:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.795	168	212619	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	359436	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.495	117	366762	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	175648	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.148	65	129876	60.345	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	120.680%
35) Dibromofluoromethane	7.728	113	81058	40.279	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	80.560%
50) Toluene-d8	10.185	98	456633	54.104	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	108.200%
62) 4-Bromofluorobenzene	12.483	95	157963	56.519	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	113.040%
Target Compounds						
					Qvalue	
16) Acetone	3.960	43	14566	26.843	ug/l	96
44) Trichloroethene	8.947	130	3339	1.267	ug/l	97
64) Tetrachloroethene	10.721	164	61880	22.166	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY083021\
Data File : VY005894.D
Acq On : 30 Aug 2021 15:27
Operator : SY/MD
Sample : M3577-01
Misc : 6.13G/5ML/MSVOA_Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
191-0827-B1-0-2

Quant Time: Aug 31 02:51:25 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080221S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 03 04:52:05 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.006 min
Lab File: VY005894.D
Acq: 30 Aug 2021 15:27




Instrument :
MSVOA_Y
ClientSampleId :
191-0827-B1-0-2


Tgt Ion:168 Resp: 212619
Ion Ratio Lower Upper
168 100
99 50.5 38.9 58.3



#16
Acetone
Concen: 26.843 ug/l
RT: 3.960 min Scan# 351
Delta R.T. -0.000 min
Lab File: VY005894.D
Acq: 30 Aug 2021 15:27

Tgt Ion: 43 Resp: 14566
Ion Ratio Lower Upper
43 100
58 27.7 23.8 35.6









#33
1,2-Dichloroethane-d4
Concen: 60.345 ug/l
RT: 8.148 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY005894.D
Acq: 30 Aug 2021 15:27




Instrument :
MSVOA_Y
ClientSampleId :
191-0827-B1-0-2


Tgt Ion: 65 Resp: 129876
Ion Ratio Lower Upper
65 100
67 50.2 0.0 103.4



#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. -0.000 min
Lab File: VY005894.D
Acq: 30 Aug 2021 15:27

Tgt Ion:114 Resp: 359436
Ion Ratio Lower Upper
114 100
63 19.1 0.0 39.2
88 15.2 0.0 30.8









#35
Dibromofluoromethane
Concen: 40.279 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY005894.D
Acq: 30 Aug 2021 15:27




Instrument :
MSVOA_Y
ClientSampleId :
191-0827-B1-0-2


Tgt Ion:113 Resp: 81058
Ion Ratio Lower Upper
113 100
111 102.1 81.9 122.9
192 24.5 19.2 28.8



#44
Trichloroethene
Concen: 1.267 ug/l
RT: 8.947 min Scan# 1169
Delta R.T. -0.000 min
Lab File: VY005894.D
Acq: 30 Aug 2021 15:27

Tgt Ion:130 Resp: 3339
Ion Ratio Lower Upper
130 100
95 95.5 0.0 185.0









#50
Toluene-d8
Concen: 54.104 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY005894.D
Acq: 30 Aug 2021 15:27




Instrument :
MSVOA_Y
ClientSampleId :
191-0827-B1-0-2


Tgt Ion: 98 Resp: 456633
Ion Ratio Lower Upper
98 100
100 63.5 51.3 76.9



#62
4-Bromofluorobenzene
Concen: 56.519 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY005894.D
Acq: 30 Aug 2021 15:27

Tgt Ion: 95 Resp: 157963
Ion Ratio Lower Upper
95 100
174 97.3 0.0 191.4
176 94.1 0.0 183.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.495 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY005894.D
Acq: 30 Aug 2021 15:27

Instrument :
MSVOA_Y
ClientSampleId :
191-0827-B1-0-2

Tgt Ion:117 Resp: 366762




Ion	Ratio	Lower	Upper
117	100		
82	53.4	43.5	65.3
119	31.4	25.5	38.3




#64
Tetrachloroethene
Concen: 22.166 ug/l
RT: 10.721 min Scan# 1460
Delta R.T. -0.000 min
Lab File: VY005894.D
Acq: 30 Aug 2021 15:27

Tgt Ion:164 Resp: 61880

Ion	Ratio	Lower	Upper
164	100		
166	129.4	99.8	149.8
129	85.6	70.1	105.1
131	84.9	67.4	101.0





#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 13.428 min Scan# 1904
 Delta R.T. -0.000 min
 Lab File: VY005894.D
 Acq: 30 Aug 2021 15:27

Instrument :
 MSVOA_Y
 ClientSampleId :
 191-0827-B1-0-2

Tgt Ion:152 Resp: 175648
 Ion Ratio Lower Upper
 152 100
 115 53.3 27.3 81.9
 150 154.7 0.0 350.2

