

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY083122\
 Data File : VY010244.D
 Acq On : 31 Aug 2022 14:44
 Operator : KP/MD
 Sample : N4303-01
 Misc : 5.09g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 DRUM-1-9

Quant Time: Aug 31 23:41:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y083022S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 31 02:23:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	144898	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	239194	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	231793	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	111415	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	78712	64.312	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	128.620%
35) Dibromofluoromethane	7.709	113	74061	53.865	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	107.740%
50) Toluene-d8	10.179	98	277579	54.282	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	108.560%
62) 4-Bromofluorobenzene	12.483	95	95284	49.999	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	100.000%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY083122\
Data File : VY010244.D
Acq On : 31 Aug 2022 14:44
Operator : KP/MD
Sample : N4303-01
Misc : 5.09g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
DRUM-1-9

Quant Time: Aug 31 23:41:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y083022S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 31 02:23:17 2022
Response via : Initial Calibration

