

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY083122\
 Data File : VY010256.D
 Acq On : 31 Aug 2022 19:25
 Operator : KP/MD
 Sample : N4431-01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CRUSHED-MASONARY-PILE-4

Quant Time: Aug 31 23:42:45 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y083022S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 31 02:23:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	159814	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	261544	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	252946	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	127707	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	83880	62.249	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	124.500%
35) Dibromofluoromethane	7.710	113	46360	32.025	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	64.040%
50) Toluene-d8	10.179	98	301143	53.893	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	107.780%
62) 4-Bromofluorobenzene	12.483	95	109117	52.365	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	104.720%
Target Compounds						
16) Acetone	3.948	43	5234	18.500	ug/l	99
20) Methylene Chloride	4.704	84	19797	11.884	ug/l #	82

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY083122\
Data File : VY010256.D
Acq On : 31 Aug 2022 19:25
Operator : KP/MD
Sample : N4431-01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CRUSHED-MASONARY-PILE-4

Quant Time: Aug 31 23:42:45 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y083022S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 31 02:23:17 2022
Response via : Initial Calibration

