

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090222\
 Data File : VY010282.D
 Acq On : 02 Sep 2022 16:31
 Operator : KP/MD
 Sample : N4433-04
 Misc : 3.17g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 EP-BLIND-DUPLICATE

Quant Time: Sep 02 16:50:37 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090222S.M
 Quant Title : SW846 8260
 QLast Update : Fri Sep 02 16:41:46 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	298551	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	512241	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	480424	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	217804	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	175110	57.201	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.400%
35) Dibromofluoromethane	7.710	113	155773	45.680	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	91.360%
50) Toluene-d8	10.179	98	618760	54.196	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	108.400%
62) 4-Bromofluorobenzene	12.477	95	218713	47.521	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	95.040%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090222\
Data File : VY010282.D
Acq On : 02 Sep 2022 16:31
Operator : KP/MD
Sample : N4433-04
Misc : 3.17g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
EP-BLIND-DUPLICATE

Quant Time: Sep 02 16:50:37 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090222S.M
Quant Title : SW846 8260
QLast Update : Fri Sep 02 16:41:46 2022
Response via : Initial Calibration

