

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090925\
 Data File : VY023313.D
 Acq On : 09 Sep 2025 09:20
 Operator : SY/MD
 Sample : VY0909SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0909SBL01

Quant Time: Sep 10 01:49:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090825S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 10 01:44:33 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	652340	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	1208657	50.000	ug/l	0.01
63) Chlorobenzene-d5	11.420	117	1063159	50.000	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.346	152	422869	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	306108	53.401	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	106.800%
35) Dibromofluoromethane	7.640	113	383214	51.869	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.740%
50) Toluene-d8	10.109	98	1407122	50.438	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.880%
62) 4-Bromofluorobenzene	12.408	95	410394	46.745	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	93.500%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090925\
Data File : VY023313.D
Acq On : 09 Sep 2025 09:20
Operator : SY/MD
Sample : VY0909SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0909SBL01

Quant Time: Sep 10 01:49:58 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090825S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 10 01:44:33 2025
Response via : Initial Calibration

