

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv091319\
 Data File : VY000033.D
 Acq On : 13 Sep 2019 09:35
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.00ml/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 19 12:07:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y091219S.M
 Quant Title : SW846 8260
 QLast Update : Thu Sep 19 11:58:16 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	101	0.00
2 T	Dichlorodifluoromethane	0.369	0.325	11.9	93	0.00
3 P	Chloromethane	0.638	0.449	29.6#	94	0.00
4 C	Vinyl Chloride	0.559	0.511	8.6#	95	0.00
5 T	Bromomethane	0.355	0.328	7.6	100	0.00
6 T	Chloroethane	0.372	0.336	9.7	94	0.00
7 T	Trichlorofluoromethane	0.727	0.654	10.0	93	0.00
8 T	Diethyl Ether	0.299	0.282	5.7	94	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.494	0.469	5.1	95	0.00
10 T	Methyl Iodide	0.541	0.501	7.4	89	0.00
11 T	Tert butyl alcohol	0.068	0.059	13.2	85	-0.01
12 CM	1,1-Dichloroethene	0.461	0.428	7.2#	95	0.00
13 T	Acrolein	0.051	0.039	23.5#	86	0.00
14 T	Allyl chloride	0.715	0.669	6.4	96	0.00
15 T	Acrylonitrile	0.189	0.176	6.9	91	0.00
16 T	Acetone	0.149	0.151	-1.3	100	0.00
17 T	Carbon Disulfide	0.928	0.794	14.4	94	0.00
18 T	Methyl Acetate	0.420	0.367	12.6	92	0.00
19 T	Methyl tert-butyl Ether	1.396	1.349	3.4	96	0.00
20 T	Methylene Chloride	0.595	0.510	14.3	93	0.00
21 T	trans-1,2-Dichloroethene	0.510	0.463	9.2	95	0.00
22 T	Diisopropyl ether	1.579	1.489	5.7	95	0.00
23 T	Vinyl Acetate	1.093	1.031	5.7	94	0.00
24 P	1,1-Dichloroethane	0.936	0.872	6.8	95	0.00
25 T	2-Butanone	0.243	0.238	2.1	97	0.00
26 T	2,2-Dichloropropane	0.869	0.815	6.2	99	0.00
27 T	cis-1,2-Dichloroethene	0.644	0.612	5.0	96	0.00
28 T	Bromochloromethane	0.430	0.441	-2.6	95	0.00
29 T	Tetrahydrofuran	0.144	0.133	7.6	92	0.00
30 C	Chloroform	0.965	0.911	5.6#	97	0.00
31 T	Cyclohexane	0.780	0.645	17.3	92	0.00
32 T	1,1,1-Trichloroethane	0.792	0.744	6.1	96	0.00
33 S	1,2-Dichloroethane-d4	0.539	0.510	5.4	94	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
35 S	Dibromofluoromethane	0.287	0.270	5.9	97	0.00
36 T	1,1-Dichloropropene	0.367	0.339	7.6	94	0.00
37 T	Ethyl Acetate	0.248	0.233	6.0	94	0.00
38 T	Carbon Tetrachloride	0.347	0.328	5.5	94	0.00
39 T	Methylcyclohexane	0.454	0.387	14.8	89	0.00
40 TM	Benzene	1.195	1.106	7.4	96	0.00
41 T	Methacrylonitrile	0.144	0.149	-3.5	96	0.00
42 TM	1,2-Dichloroethane	0.305	0.293	3.9	98	0.00
43 T	Isopropyl Acetate	0.480	0.447	6.9	94	0.00
44 TM	Trichloroethene	0.298	0.285	4.4	97	0.00
45 C	1,2-Dichloropropane	0.308	0.285	7.5#	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv091319\
 Data File : VY000033.D
 Acq On : 13 Sep 2019 09:35
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.00ml/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 19 12:07:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y091219S.M
 Quant Title : SW846 8260
 QLast Update : Thu Sep 19 11:58:16 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.171	0.159	7.0	96	0.00
47 T	Bromodichloromethane	0.408	0.381	6.6	95	0.00
48 T	Methyl methacrylate	0.212	0.203	4.2	98	0.00
49 T	1,4-Dioxane	0.004	0.003	25.0#	92	0.00
50 S	Toluene-d8	1.155	1.137	1.6	97	0.00
51 T	4-Methyl-2-Pentanone	0.269	0.254	5.6	94	0.00
52 CM	Toluene	0.751	0.696	7.3#	95	0.00
53 T	t-1,3-Dichloropropene	0.429	0.406	5.4	95	0.00
54 T	cis-1,3-Dichloropropene	0.500	0.475	5.0	98	0.00
55 T	1,1,2-Trichloroethane	0.271	0.257	5.2	97	0.00
56 T	Ethyl methacrylate	0.380	0.362	4.7	96	0.00
57 T	1,3-Dichloropropane	0.433	0.417	3.7	98	0.00
58 T	2-Chloroethyl Vinyl ether	0.208	0.197	5.3	86	0.00
59 T	2-Hexanone	0.194	0.197	-1.5	100	0.00
60 T	Dibromochloromethane	0.286	0.270	5.6	94	0.00
61 T	1,2-Dibromoethane	0.239	0.226	5.4	95	0.00
62 S	4-Bromofluorobenzene	0.420	0.385	8.3	94	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	101	0.00
64 T	Tetrachloroethene	0.307	0.281	8.5	93	0.00
65 PM	Chlorobenzene	0.953	0.888	6.8	92	0.00
66 T	1,1,1,2-Tetrachloroethane	0.330	0.315	4.5	96	0.00
67 C	Ethyl Benzene	1.731	1.608	7.1#	94	0.00
68 T	m/p-Xylenes	0.653	0.627	4.0	97	0.00
69 T	o-Xylene	0.640	0.600	6.3	96	0.00
70 T	Styrene	1.114	1.060	4.8	95	0.00
71 P	Bromoform	0.199	0.187	6.0	94	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
73 T	Isopropylbenzene	3.820	3.499	8.4	93	0.00
74 T	N-amyl acetate	1.128	1.105	2.0	95	0.00
75 P	1,1,2,2-Tetrachloroethane	0.913	0.852	6.7	92	0.00
76 T	1,2,3-Trichloropropane	0.694	0.620	10.7	80	0.00
77 T	Bromobenzene	0.808	0.781	3.3	94	0.00
78 T	n-propylbenzene	4.669	4.336	7.1	94	0.00
79 T	2-Chlorotoluene	2.611	2.409	7.7	93	0.00
80 T	1,3,5-Trimethylbenzene	3.190	2.937	7.9	91	0.00
81 T	trans-1,4-Dichloro-2-butene	0.350	0.337	3.7	94	0.00
82 T	4-Chlorotoluene	2.740	2.534	7.5	93	0.00
83 T	tert-Butylbenzene	2.741	2.494	9.0	91	0.00
84 T	1,2,4-Trimethylbenzene	3.151	2.899	8.0	91	0.00
85 T	sec-Butylbenzene	4.045	3.653	9.7	90	0.00
86 T	p-Isopropyltoluene	3.431	3.133	8.7	91	0.00
87 T	1,3-Dichlorobenzene	1.626	1.500	7.7	92	0.00
88 T	1,4-Dichlorobenzene	1.637	1.530	6.5	91	0.00
89 T	n-Butylbenzene	3.477	3.163	9.0	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv091319\
Data File : VY000033.D
Acq On : 13 Sep 2019 09:35
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.00ml/MSVOA Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Sep 19 12:07:31 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y091219S.M
Quant Title : SW846 8260
QLast Update : Thu Sep 19 11:58:16 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.686	0.634	7.6	90	0.00
91 T	1,2-Dichlorobenzene	1.514	1.390	8.2	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.178	0.153	14.0	89	0.00
93 T	1,2,4-Trichlorobenzene	0.966	0.846	12.4	89	0.00
94 T	Hexachlorobutadiene	0.443	0.392	11.5	87	0.00
95 T	Naphthalene	2.642	2.407	8.9	89	0.00
96 T	1,2,3-Trichlorobenzene	0.867	0.787	9.2	88	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6