

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091322\
 Data File : VY010464.D
 Acq On : 13 Sep 2022 17:19
 Operator : KP/MD
 Sample : N4509-05RE
 Misc : 5.58g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 S1-SO_116D-20220902RE

Quant Time: Sep 14 05:25:47 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090922S.M
 Quant Title : SW846 8260
 QLast Update : Fri Sep 09 17:08:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	200349	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	305210	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	230215	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	78579	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	60259	29.863	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	59.720%
35) Dibromofluoromethane	7.710	113	54008	24.916	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	49.840%#
50) Toluene-d8	10.173	98	350519	49.895	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	99.800%
62) 4-Bromofluorobenzene	12.477	95	82332	26.698	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	53.400%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091322\
Data File : VY010464.D
Acq On : 13 Sep 2022 17:19
Operator : KP/MD
Sample : N4509-05RE
Misc : 5.58g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
S1-SO_116D-20220902RE

Quant Time: Sep 14 05:25:47 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090922S.M
Quant Title : SW846 8260
QLast Update : Fri Sep 09 17:08:30 2022
Response via : Initial Calibration

