

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091324\
 Data File : VY019551.D
 Acq On : 13 Sep 2024 19:52
 Operator : SY/MD
 Sample : P3856-02RE
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VOCRE

Quant Time: Sep 13 23:37:55 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 09 16:00:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.701	168	83893	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.610	114	149271	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	119701	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	39778	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	45541	58.624	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	117.240%
35) Dibromofluoromethane	7.628	113	46789	55.284	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	110.560%
50) Toluene-d8	10.103	98	170937	54.605	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	109.220%
62) 4-Bromofluorobenzene	12.402	95	49279	40.941	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	81.880%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091324\
Data File : VY019551.D
Acq On : 13 Sep 2024 19:52
Operator : SY/MD
Sample : P3856-02RE
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VOCRE

Quant Time: Sep 13 23:37:55 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
Quant Title : SW846 8260
QLast Update : Mon Sep 09 16:00:30 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.701 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY019551.D
Acq: 13 Sep 2024 19:52




Instrument :
MSVOA_Y
ClientSampleId :
VOCRE


Tgt Ion:168 Resp: 83893
Ion Ratio Lower Upper
168 100
99 59.7 39.1 58.7#



#33
1,2-Dichloroethane-d4
Concen: 58.624 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.000 min
Lab File: VY019551.D
Acq: 13 Sep 2024 19:52

Tgt Ion: 65 Resp: 45541
Ion Ratio Lower Upper
65 100
67 53.6 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.610 min Scan# 1131

Delta R.T. -0.006 min

Lab File: VY019551.D

Acq: 13 Sep 2024 19:52

Instrument :

MSVOA_Y

ClientSampleId :

VOCRE





Tgt Ion:114 Resp: 149271

Ion Ratio Lower Upper

114 100

63 19.1 0.0 35.0

88 16.4 0.0 27.2



#35

Dibromofluoromethane

Concen: 55.284 ug/l

RT: 7.628 min Scan# 969

Delta R.T. -0.006 min

Lab File: VY019551.D

Acq: 13 Sep 2024 19:52




Tgt Ion:113 Resp: 46789


Ion Ratio Lower Upper

113 100

111 101.7 82.2 123.4

192 17.8 15.9 23.9









#50
Toluene-d8
Concen: 54.605 ug/l
RT: 10.103 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY019551.D
Acq: 13 Sep 2024 19:52




Instrument :
MSVOA_Y
ClientSampleId :
VOCRE


Tgt Ion: 98 Resp: 170937
Ion Ratio Lower Upper
98 100
100 64.1 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 40.941 ug/l
RT: 12.402 min Scan# 1752
Delta R.T. -0.006 min
Lab File: VY019551.D
Acq: 13 Sep 2024 19:52

Tgt Ion: 95 Resp: 49279
Ion Ratio Lower Upper
95 100
174 74.4 0.0 175.6
176 71.9 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY019551.D

Acq: 13 Sep 2024 19:52

Instrument :

MSVOA_Y

ClientSampleId :

VOCRE





Tgt Ion:117 Resp: 119701

Ion Ratio Lower Upper

117 100

82 56.3 42.4 63.6

119 30.2 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.347 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY019551.D

Acq: 13 Sep 2024 19:52

Tgt Ion:152 Resp: 39778

Ion Ratio Lower Upper

152 100

115 61.5 28.2 84.7

150 157.8 0.0 345.6

