

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091421\
 Data File : VY006014.D
 Acq On : 14 Sep 2021 17:39
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA_Y/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 15 05:15:33 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091421S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 15 05:01:47 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	0.528	0.474	10.2	91	0.00
3 P	Chloromethane	0.657	0.611	7.0	93	0.00
4 C	Vinyl Chloride	0.742	0.697	6.1#	94	0.00
5 T	Bromomethane	0.481	0.501	-4.2	107	0.00
6 T	Chloroethane	0.445	0.440	1.1	96	0.00
7 T	Trichlorofluoromethane	0.967	0.938	3.0	94	0.00
8 T	Diethyl Ether	0.318	0.325	-2.2	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.483	0.464	3.9	94	0.00
10 T	Methyl Iodide	0.511	0.447	12.5	81	0.00
11 T	Tert butyl alcohol	0.142	0.094	33.8#	90	0.00
12 CM	1,1-Dichloroethene	0.499	0.492	1.4#	97	0.00
13 T	Acrolein	0.042	0.036	14.3	78	0.00
14 T	Allyl chloride	1.066	1.062	0.4	96	0.00
15 T	Acrylonitrile	0.181	0.179	1.1	88	0.00
16 T	Acetone	0.190	0.156	17.9	73	0.00
17 T	Carbon Disulfide	1.667	1.647	1.2	95	0.00
18 T	Methyl Acetate	0.480	0.454	5.4	87	0.00
19 T	Methyl tert-butyl Ether	1.609	1.635	-1.6	93	0.00
20 T	Methylene Chloride	0.707	0.627	11.3	101	0.00
21 T	trans-1,2-Dichloroethene	0.560	0.563	-0.5	97	0.00
22 T	Diisopropyl ether	2.071	2.124	-2.6	97	0.00
23 T	Vinyl Acetate	1.307	1.316	-0.7	91	0.00
24 P	1,1-Dichloroethane	1.061	1.093	-3.0	99	0.00
25 T	2-Butanone	0.263	0.242	8.0	82	0.00
26 T	2,2-Dichloropropane	1.005	0.953	5.2	93	0.00
27 T	cis-1,2-Dichloroethene	0.625	0.647	-3.5	97	0.00
28 T	Bromochloromethane	0.466	0.482	-3.4	91	0.00
29 T	Tetrahydrofuran	0.165	0.157	4.8	84	0.00
30 C	Chloroform	1.064	1.103	-3.7#	99	0.00
31 T	Cyclohexane	1.113	1.036	6.9	94	0.00
32 T	1,1,1-Trichloroethane	0.999	1.016	-1.7	97	0.00
33 S	1,2-Dichloroethane-d4	0.695	0.670	3.6	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
35 S	Dibromofluoromethane	0.311	0.296	4.8	96	0.00
36 T	1,1-Dichloropropene	0.540	0.521	3.5	96	0.00
37 T	Ethyl Acetate	0.373	0.334	10.5	85	0.00
38 T	Carbon Tetrachloride	0.588	0.576	2.0	98	0.00
39 T	Methylcyclohexane	0.669	0.646	3.4	95	0.00
40 TM	Benzene	1.548	1.531	1.1	98	0.00
41 T	Methacrylonitrile	0.218	0.177	18.8	73	0.00
42 TM	1,2-Dichloroethane	0.547	0.546	0.2	96	0.00
43 T	Isopropyl Acetate	0.694	0.655	5.6	88	0.00
44 TM	Trichloroethene	0.386	0.379	1.8	97	0.00
45 C	1,2-Dichloropropane	0.383	0.381	0.5#	99	0.00
46 T	Dibromomethane	0.207	0.204	1.4	94	0.00
47 T	Bromodichloromethane	0.533	0.540	-1.3	99	0.00
48 T	Methyl methacrylate	0.321	0.305	5.0	88	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091421\
 Data File : VY006014.D
 Acq On : 14 Sep 2021 17:39
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA_Y/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 15 05:15:33 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091421S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 15 05:01:47 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	89	0.00
50 S	Toluene-d8	1.324	1.271	4.0	95	0.00
51 T	4-Methyl-2-Pentanone	0.370	0.342	7.6	85	0.00
52 CM	Toluene	0.954	0.962	-0.8#	100	0.00
53 T	t-1,3-Dichloropropene	0.586	0.582	0.7	95	0.00
54 T	cis-1,3-Dichloropropene	0.632	0.626	0.9	97	0.00
55 T	1,1,2-Trichloroethane	0.285	0.282	1.1	94	0.00
56 T	Ethyl methacrylate	0.455	0.440	3.3	89	0.00
57 T	1,3-Dichloropropane	0.525	0.517	1.5	95	0.00
58 T	2-Chloroethyl Vinyl ether	0.238	0.217	8.8	87	0.00
59 T	2-Hexanone	0.256	0.236	7.8	83	0.00
60 T	Dibromochloromethane	0.351	0.357	-1.7	98	0.00
61 T	1,2-Dibromoethane	0.269	0.263	2.2	93	0.00
62 S	4-Bromofluorobenzene	0.449	0.430	4.2	97	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.409	0.403	1.5	98	0.00
65 PM	Chlorobenzene	1.070	1.065	0.5	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.399	0.398	0.3	98	0.00
67 C	Ethyl Benzene	2.034	2.026	0.4#	98	0.00
68 T	m/p-Xylenes	0.771	0.768	0.4	98	0.00
69 T	o-Xylene	0.728	0.740	-1.6	100	0.00
70 T	Styrene	1.248	1.271	-1.8	98	0.00
71 P	Bromoform	0.250	0.250	0.0	95	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	3.915	3.874	1.0	98	0.00
74 T	N-amyl acetate	1.352	1.259	6.9	87	0.00
75 P	1,1,2,2-Tetrachloroethane	0.728	0.676	7.1	88	0.00
76 T	1,2,3-Trichloropropane	0.533	0.474	11.1	90	0.00
77 T	Bromobenzene	0.914	0.912	0.2	98	0.00
78 T	n-propylbenzene	4.844	4.780	1.3	97	0.00
79 T	2-Chlorotoluene	2.634	2.643	-0.3	98	0.00
80 T	1,3,5-Trimethylbenzene	3.247	3.286	-1.2	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.290	0.260	10.3	84	0.00
82 T	4-Chlorotoluene	2.723	2.768	-1.7	100	0.00
83 T	tert-Butylbenzene	2.777	2.799	-0.8	97	0.00
84 T	1,2,4-Trimethylbenzene	3.222	3.248	-0.8	97	0.00
85 T	sec-Butylbenzene	4.158	4.158	0.0	96	0.00
86 T	p-Isopropyltoluene	3.549	3.498	1.4	95	0.00
87 T	1,3-Dichlorobenzene	1.762	1.791	-1.6	97	0.00
88 T	1,4-Dichlorobenzene	1.767	1.763	0.2	98	0.00
89 T	n-Butylbenzene	3.319	3.252	2.0	94	0.00
90 T	Hexachloroethane	0.639	0.641	-0.3	98	0.00
91 T	1,2-Dichlorobenzene	1.547	1.555	-0.5	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.145	0.130	10.3	86	0.00
93 T	1,2,4-Trichlorobenzene	1.004	0.927	7.7	89	0.00
94 T	Hexachlorobutadiene	0.650	0.604	7.1	92	0.00
95 T	Naphthalene	1.998	1.818	9.0	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091421\
Data File : VY006014.D
Acq On : 14 Sep 2021 17:39
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA_Y/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Sep 15 05:15:33 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091421S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 15 05:01:47 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.870	0.803	7.7	88	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6