

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091422\
 Data File : VY010486.D
 Acq On : 14 Sep 2022 16:00
 Operator : KP/MD
 Sample : N4578-15
 Misc : 5.63g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CHERRY-HILL-COMP-4

Quant Time: Sep 15 01:10:36 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090922S.M
 Quant Title : SW846 8260
 QLast Update : Fri Sep 09 17:08:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	177045	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	309287	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	290732	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	130834	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	104680	58.706	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	117.420%
35) Dibromofluoromethane	7.716	113	97836	44.540	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	89.080%
50) Toluene-d8	10.179	98	370063	51.983	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	103.960%
62) 4-Bromofluorobenzene	12.477	95	123678	42.963	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	85.920%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091422\
Data File : VY010486.D
Acq On : 14 Sep 2022 16:00
Operator : KP/MD
Sample : N4578-15
Misc : 5.63g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CHERRY-HILL-COMP-4

Quant Time: Sep 15 01:10:36 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090922S.M
Quant Title : SW846 8260
QLast Update : Fri Sep 09 17:08:30 2022
Response via : Initial Calibration

