

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091724\
 Data File : VY019576.D
 Acq On : 17 Sep 2024 11:18
 Operator : SY/MD
 Sample : VY0917SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0917SBL01

Quant Time: Sep 18 01:30:53 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 09 16:00:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	358176	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.616	114	689465	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	602003	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	210707	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	209506	63.168	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	126.340%
35) Dibromofluoromethane	7.634	113	212765	54.428	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.860%
50) Toluene-d8	10.109	98	817224	56.520	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	113.040%
62) 4-Bromofluorobenzene	12.408	95	253916	45.672	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	91.340%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091724\
Data File : VY019576.D
Acq On : 17 Sep 2024 11:18
Operator : SY/MD
Sample : VY0917SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0917SBL01

Quant Time: Sep 18 01:30:53 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
Quant Title : SW846 8260
QLast Update : Mon Sep 09 16:00:30 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY019576.D
Acq: 17 Sep 2024 11:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0917SBL01


Tgt Ion:168 Resp: 358176
Ion Ratio Lower Upper
168 100
99 61.5 39.1 58.7#



#33
1,2-Dichloroethane-d4
Concen: 63.168 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.000 min
Lab File: VY019576.D
Acq: 17 Sep 2024 11:18

Tgt Ion: 65 Resp: 209506
Ion Ratio Lower Upper
65 100
67 52.2 0.0 109.6









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. 0.000 min
Lab File: VY019576.D
Acq: 17 Sep 2024 11:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0917SBL01


Tgt Ion:114 Resp: 689465
Ion Ratio Lower Upper
114 100
63 20.1 0.0 35.0
88 16.2 0.0 27.2



#35
Dibromofluoromethane
Concen: 54.428 ug/l
RT: 7.634 min Scan# 970
Delta R.T. 0.000 min
Lab File: VY019576.D
Acq: 17 Sep 2024 11:18

Tgt Ion:113 Resp: 212765
Ion Ratio Lower Upper
113 100
111 104.5 82.2 123.4
192 18.3 15.9 23.9









#50
Toluene-d8
Concen: 56.520 ug/l
RT: 10.109 min Scan# 1376
Delta R.T. 0.000 min
Lab File: VY019576.D
Acq: 17 Sep 2024 11:18




Instrument :
MSVOA_Y
ClientSampleId :
VY0917SBL01


Tgt Ion: 98 Resp: 817224
Ion Ratio Lower Upper
98 100
100 65.3 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 45.672 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY019576.D
Acq: 17 Sep 2024 11:18

Tgt Ion: 95 Resp: 253916
Ion Ratio Lower Upper
95 100
174 75.0 0.0 175.6
176 73.2 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY019576.D

Acq: 17 Sep 2024 11:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0917SBL01





Tgt Ion:117 Resp: 602003

Ion Ratio Lower Upper

117 100

82 57.4 42.4 63.6

119 31.6 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.347 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY019576.D

Acq: 17 Sep 2024 11:18

Tgt Ion:152 Resp: 210707

Ion Ratio Lower Upper

152 100

115 61.6 28.2 84.7

150 158.0 0.0 345.6

