

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091724\
 Data File : VY019580.D
 Acq On : 17 Sep 2024 13:04
 Operator : SY/MD
 Sample : P4014-01
 Misc : 5.08g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OR-03-09162024

Quant Time: Sep 18 01:32:00 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 09 16:00:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	247770	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.616	114	459219	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	390477	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	140644	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	142364	62.051	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	124.100%
35) Dibromofluoromethane	7.634	113	143970	55.295	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	110.580%
50) Toluene-d8	10.109	98	534776	55.530	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	111.060%
62) 4-Bromofluorobenzene	12.408	95	166028	44.836	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	89.680%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091724\
Data File : VY019580.D
Acq On : 17 Sep 2024 13:04
Operator : SY/MD
Sample : P4014-01
Misc : 5.08g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OR-03-09162024

Quant Time: Sep 18 01:32:00 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
Quant Title : SW846 8260
QLast Update : Mon Sep 09 16:00:30 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY019580.D
Acq: 17 Sep 2024 13:04




Instrument :
MSVOA_Y
ClientSampleId :
OR-03-09162024

Tgt Ion:168 Resp: 247770
Ion Ratio Lower Upper
168 100
99 60.4 39.1 58.7#



#33
1,2-Dichloroethane-d4
Concen: 62.051 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.000 min
Lab File: VY019580.D
Acq: 17 Sep 2024 13:04

Tgt Ion: 65 Resp: 142364
Ion Ratio Lower Upper
65 100
67 53.1 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.616 min Scan# 1131

Delta R.T. 0.000 min

Lab File: VY019580.D

Acq: 17 Sep 2024 13:04

Instrument :

MSVOA_Y

ClientSampleId :

OR-03-09162024





Tgt Ion:114 Resp: 459219

Ion Ratio Lower Upper

114 100

63 19.6 0.0 35.0

88 16.4 0.0 27.2



#35

Dibromofluoromethane

Concen: 55.295 ug/l

RT: 7.634 min Scan# 970

Delta R.T. 0.000 min

Lab File: VY019580.D

Acq: 17 Sep 2024 13:04




Tgt Ion:113 Resp: 143970


Ion Ratio Lower Upper

113 100

111 100.7 82.2 123.4

192 17.8 15.9 23.9









#50
Toluene-d8
Concen: 55.530 ug/l
RT: 10.109 min Scan# 1376
Delta R.T. 0.000 min
Lab File: VY019580.D
Acq: 17 Sep 2024 13:04




Instrument :
MSVOA_Y
ClientSampleId :
OR-03-09162024


Tgt Ion: 98 Resp: 534776
Ion Ratio Lower Upper
98 100
100 64.7 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 44.836 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY019580.D
Acq: 17 Sep 2024 13:04

Tgt Ion: 95 Resp: 166028
Ion Ratio Lower Upper
95 100
174 75.9 0.0 175.6
176 72.9 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY019580.D

Acq: 17 Sep 2024 13:04

Instrument :

MSVOA_Y

ClientSampleId :

OR-03-09162024





Tgt Ion:117 Resp: 390477

Ion Ratio Lower Upper

117 100

82 57.3 42.4 63.6

119 31.1 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.347 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY019580.D

Acq: 17 Sep 2024 13:04

Tgt Ion:152 Resp: 140644

Ion Ratio Lower Upper

152 100

115 60.4 28.2 84.7

150 157.9 0.0 345.6

