

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091823\
 Data File : VY015627.D
 Acq On : 18 Sep 2023 20:07
 Operator : SY/MD
 Sample : 04460-01
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 DEL-2-RIGHT-SIDE

Quant Time: Sep 19 02:07:35 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y082923S.M
 Quant Title : SW846 8260
 QLast Update : Thu Aug 31 20:01:47 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	122331	50.000	ug/l	0.01
34) 1,4-Difluorobenzene	8.697	114	206794	50.000	ug/l	0.01
63) Chlorobenzene-d5	11.496	117	185629	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	82530	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	76238	58.136	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	116.280%
35) Dibromofluoromethane	7.722	113	65973	55.389	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	110.780%
50) Toluene-d8	10.185	98	241274	55.936	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	111.880%
62) 4-Bromofluorobenzene	12.483	95	77769	48.567	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	97.140%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091823\
Data File : VY015627.D
Acq On : 18 Sep 2023 20:07
Operator : SY/MD
Sample : 04460-01
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
DEL-2-RIGHT-SIDE

Quant Time: Sep 19 02:07:35 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y082923S.M
Quant Title : SW846 8260
QLast Update : Thu Aug 31 20:01:47 2023
Response via : Initial Calibration

