

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091824\
 Data File : VY019605.D
 Acq On : 18 Sep 2024 14:57
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VIBLK

Quant Time: Sep 19 01:25:39 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 09 16:00:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	314358	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.616	114	603644	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	524692	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	194685	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	173009	59.435	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.880%
35) Dibromofluoromethane	7.634	113	186861	54.597	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	109.200%
50) Toluene-d8	10.109	98	716347	56.587	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	113.180%
62) 4-Bromofluorobenzene	12.408	95	227736	46.786	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	93.580%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091824\
Data File : VY019605.D
Acq On : 18 Sep 2024 14:57
Operator : SY/MD
Sample : VIBLK
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VIBLK

Quant Time: Sep 19 01:25:39 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
Quant Title : SW846 8260
QLast Update : Mon Sep 09 16:00:30 2024
Response via : Initial Calibration

