

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY091919\
 Data File : VY000074.D
 Acq On : 19 Sep 2019 14:02
 Operator : SY/MD
 Sample : K4878-01
 Misc : 5.86g/5.00ml/MSVOA Y/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CSA-2-4-2

Quant Time: Sep 20 02:22:44 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y091719S.M
 Quant Title : SW846 8260
 QLast Update : Thu Sep 19 05:38:39 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.79	168	110732	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	214903	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	146140	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	39815	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	64053	50.28	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.56%	
35) Dibromofluoromethane	7.72	113	60097	46.19	ug/l	0.00
Spiked Amount	50.000		Recovery	=	92.38%	
50) Toluene-d8	10.18	98	229111	44.83	ug/l	0.00
Spiked Amount	50.000		Recovery	=	89.66%	
62) 4-Bromofluorobenzene	12.48	95	56079	29.55	ug/l	0.00
Spiked Amount	50.000		Recovery	=	59.10%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY091919\
Data File : VY000074.D
Acq On : 19 Sep 2019 14:02
Operator : SY/MD
Sample : K4878-01
Misc : 5.86g/5.00ml/MSVOA Y/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CSA-2-4-2

Quant Time: Sep 20 02:22:44 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y091719S.M
Quant Title : SW846 8260
QLast Update : Thu Sep 19 05:38:39 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.79 min Scan# 1018

Delta R.T. -0.00 min

Lab File: VY000074.D

Acq: 19 Sep 2019 14:02

Instrument :

MSVOA_Y

ClientSampleId :


CSA-2-4-2

Tot Ion:168 Resp: 110732

Ion Ratio Lower Upper

168 100

99 63.3 44.2 66.2






Abundance Ion 167.90 (167.60 to 168.60): VY000054.D (-1008) (-)

Ion 98.90 (98.60 to 99.60): VY000054.D (-1008) (-)

7.79

Time-->



#33

1,2-Dichloroethane-d4

Concen: 50.278 ug/l

RT: 8.15 min Scan# 1076

Delta R.T. -0.00 min

Lab File: VY000074.D


Acq: 19 Sep 2019 14:02

Tgt Ion: 65 Resp: 64053

Ion Ratio Lower Upper

65 100

67 53.9 0.0 111.0






Abundance Ion 64.90 (64.60 to 65.60): VY000054.D (-1065) (-)

Ion 66.90 (66.60 to 67.60): VY000054.D (-1065) (-)

8.15

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1165

Delta R.T. -0.00 min

Lab File: VY000074.D

Acq: 19 Sep 2019 14:02

Instrument :

MSVOA_Y

ClientSampleId :

CSA-2-4-2


Tot Ion:114 Resp: 214903

Ion Ratio Lower Upper

114 100

63 18.8 0.0 39.4




88 14.7 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 46.186 ug/l

RT: 7.72 min Scan# 1006

Delta R.T. 0.01 min

Lab File: VY000074.D

Acq: 19 Sep 2019 14:02


Tgt Ion:113 Resp: 60097

Ion Ratio Lower Upper

113 100

111 105.0 81.7 122.5



192 17.5 13.4 20.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 44.830 ug/l
RT: 10.18 min Scan# 1410
Delta R.T. 0.01 min
Lab File: VY000074.D
Acq: 19 Sep 2019 14:02




Instrument :
MSVOA_Y
ClientSampleId :
CSA-2-4-2


Tot Ion: 98 Resp: 229111
Ion Ratio Lower Upper
98 100
100 67.0 53.1 79.7



#62
4-Bromofluorobenzene
Concen: 29.555 ug/l
RT: 12.48 min Scan# 1786
Delta R.T. -0.00 min
Lab File: VY000074.D
Acq: 19 Sep 2019 14:02

Tgt Ion: 95 Resp: 56079
Ion Ratio Lower Upper
95 100
174 69.1 0.0 137.2
176 67.6 0.0 135.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1624
Delta R.T. -0.00 min
Lab File: VY000074.D
Acq: 19 Sep 2019 14:02

Instrument :
MSVOA_Y
ClientSampleId :
CSA-2-4-2

Tot Ion:117 Resp: 146140
Ion Ratio Lower Upper
117 100
82 58.4 43.5 65.3
119 32.0 24.6 36.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1941
Delta R.T. -0.00 min
Lab File: VY000074.D
Acq: 19 Sep 2019 14:02

Tgt Ion:152 Resp: 39815
Ion Ratio Lower Upper
152 100
115 62.0 30.7 92.1
150 154.2 0.0 351.6

