

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092123\
 Data File : VY015671.D
 Acq On : 21 Sep 2023 12:52
 Operator : SY/MD
 Sample : 04364-02
 Misc : 5.03g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VOC

Quant Time: Sep 22 01:20:08 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 20 01:39:40 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	134751	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	233020	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	221638	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	115510	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	86794	58.540	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	117.080%
35) Dibromofluoromethane	7.716	113	74897	53.701	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	107.400%
50) Toluene-d8	10.179	98	283473	59.944	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	119.880%
62) 4-Bromofluorobenzene	12.483	95	104471	56.294	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	112.580%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092123\
Data File : VY015671.D
Acq On : 21 Sep 2023 12:52
Operator : SY/MD
Sample : 04364-02
Misc : 5.03g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VOC

Quant Time: Sep 22 01:20:08 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 20 01:39:40 2023
Response via : Initial Calibration

