

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092123\
 Data File : VY015672.D
 Acq On : 21 Sep 2023 15:59
 Operator : SY/MD
 Sample : 04567-01
 Misc : 5.59g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SE-SOIL-1

Quant Time: Sep 22 01:20:36 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 20 01:39:40 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	152052	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	254955	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	224573	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	93735	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	92395	55.227	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.460%
35) Dibromofluoromethane	7.710	113	82971	54.372	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.740%
50) Toluene-d8	10.179	98	300971	58.169	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	116.340%
62) 4-Bromofluorobenzene	12.477	95	94422	46.502	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	93.000%
Target Compounds						
20) Methylene Chloride	4.710	84	32711	13.112	ug/l	Qvalue 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092123\
Data File : VY015672.D
Acq On : 21 Sep 2023 15:59
Operator : SY/MD
Sample : 04567-01
Misc : 5.59g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SE-SOIL-1

Quant Time: Sep 22 01:20:36 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 20 01:39:40 2023
Response via : Initial Calibration

