

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092123\
 Data File : VY015673.D
 Acq On : 21 Sep 2023 16:23
 Operator : SY/MD
 Sample : 04567-03
 Misc : 5.77g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SE-SOIL-2

Quant Time: Sep 22 01:21:02 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 20 01:39:40 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	137576	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	236541	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	217569	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	97949	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	89338	59.019	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 118.040%	
35) Dibromofluoromethane	7.716	113	75371	53.236	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 106.480%	
50) Toluene-d8	10.179	98	276704	57.642	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 115.280%	
62) 4-Bromofluorobenzene	12.483	95	93797	49.790	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 99.580%	
Target Compounds						
					Qvalue	
20) Methylene Chloride	4.710	84	30100	13.426	ug/l	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092123\
Data File : VY015673.D
Acq On : 21 Sep 2023 16:23
Operator : SY/MD
Sample : 04567-03
Misc : 5.77g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SE-SOIL-2

Quant Time: Sep 22 01:21:02 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 20 01:39:40 2023
Response via : Initial Calibration

