

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092123\
 Data File : VY015675.D
 Acq On : 21 Sep 2023 17:10
 Operator : SY/MD
 Sample : 04567-07
 Misc : 4.21g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SE-SOIL-4

Quant Time: Sep 22 01:21:50 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 20 01:39:40 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	133023	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	226889	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	208721	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	95884	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	89186	60.935	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 121.880%	
35) Dibromofluoromethane	7.716	113	72678	53.518	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 107.040%	
50) Toluene-d8	10.179	98	268065	58.218	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 116.440%	
62) 4-Bromofluorobenzene	12.483	95	91048	50.387	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 100.780%	
Target Compounds						
					Qvalue	
20) Methylene Chloride	4.710	84	26377	11.666	ug/l	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092123\
Data File : VY015675.D
Acq On : 21 Sep 2023 17:10
Operator : SY/MD
Sample : 04567-07
Misc : 4.21g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SE-SOIL-4

Quant Time: Sep 22 01:21:50 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 20 01:39:40 2023
Response via : Initial Calibration

