

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092623\
 Data File : VY015705.D
 Acq On : 26 Sep 2023 09:26
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 27 01:29:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 20 01:39:40 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.01
2 T	Dichlorodifluoromethane	0.330	0.311	5.8	83	0.01
3 P	Chloromethane	0.416	0.388	6.7	82	0.00
4 C	Vinyl Chloride	0.475	0.461	2.9#	85	0.01
5 T	Bromomethane	0.361	0.333	7.8	78	0.02
6 T	Chloroethane	0.352	0.326	7.4	82	0.01
7 T	Trichlorofluoromethane	0.797	0.786	1.4	90	0.01
8 T	Diethyl Ether	0.340	0.319	6.2	85	0.02
9 T	1,1,2-Trichlorotrifluoroeth	0.499	0.485	2.8	88	0.00
10 T	Methyl Iodide	0.519	0.512	1.3	80	0.01
11 T	Tert butyl alcohol	0.174	0.136	21.8	121	0.05
12 CM	1,1-Dichloroethene	0.440	0.423	3.9#	87	0.01
13 T	Acrolein	0.084	0.079	6.0	88	0.02
14 T	Allyl chloride	0.804	0.757	5.8	85	0.01
15 T	Acrylonitrile	0.249	0.245	1.6	93	0.02
16 T	Acetone	0.294	0.370	-25.9#	124	0.03
17 T	Carbon Disulfide	0.855	0.803	6.1	80	0.01
18 T	Methyl Acetate	0.988	1.014	-2.6	96	0.02
19 T	Methyl tert-butyl Ether	1.792	1.718	4.1	87	0.02
20 T	Methylene Chloride	0.779	0.638	18.1	92	0.02
21 T	trans-1,2-Dichloroethene	0.503	0.479	4.8	84	0.02
22 T	Diisopropyl ether	1.936	1.833	5.3	84	0.01
23 T	Vinyl Acetate	1.195	1.131	5.4	85	0.02
24 P	1,1-Dichloroethane	1.055	0.991	6.1	85	0.02
25 T	2-Butanone	0.416	0.458	-10.1	110	0.02
26 T	2,2-Dichloropropane	0.964	0.881	8.6	89	0.01
27 T	cis-1,2-Dichloroethene	0.667	0.616	7.6	83	0.01
28 T	Bromochloromethane	0.286	0.248	13.3	81	0.00
29 T	Tetrahydrofuran	0.235	0.242	-3.0	98	0.02
30 C	Chloroform	1.130	1.061	6.1#	86	0.01
31 T	Cyclohexane	0.762	0.690	9.4	85	0.00
32 T	1,1,1-Trichloroethane	0.933	0.895	4.1	87	0.02
33 S	1,2-Dichloroethane-d4	0.550	0.483	12.2	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.299	0.285	4.7	93	0.00
36 T	1,1-Dichloropropene	0.442	0.428	3.2	86	0.01
37 T	Ethyl Acetate	0.441	0.456	-3.4	96	0.02
38 T	Carbon Tetrachloride	0.480	0.475	1.0	87	0.01
39 T	Methylcyclohexane	0.489	0.466	4.7	83	0.00
40 TM	Benzene	1.349	1.300	3.6	84	0.01
41 T	Methacrylonitrile	0.238	0.233	2.1	102	0.00
42 TM	1,2-Dichloroethane	0.462	0.441	4.5	85	0.00
43 T	Isopropyl Acetate	0.754	0.745	1.2	90	0.01
44 TM	Trichloroethene	0.377	0.367	2.7	86	0.00
45 C	1,2-Dichloropropane	0.376	0.362	3.7#	84	0.00
46 T	Dibromomethane	0.241	0.235	2.5	86	0.01
47 T	Bromodichloromethane	0.537	0.523	2.6	86	0.01
48 T	Methyl methacrylate	0.331	0.333	-0.6	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092623\
 Data File : VY015705.D
 Acq On : 26 Sep 2023 09:26
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 27 01:29:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 20 01:39:40 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.005	0.006	-20.0	110	0.04
50 S	Toluene-d8	1.015	0.899	11.4	91	0.00
51 T	4-Methyl-2-Pentanone	0.467	0.486	-4.1	95	0.00
52 CM	Toluene	0.870	0.833	4.3#	83	0.00
53 T	t-1,3-Dichloropropene	0.575	0.557	3.1	84	0.00
54 T	cis-1,3-Dichloropropene	0.619	0.602	2.7	85	0.00
55 T	1,1,2-Trichloroethane	0.353	0.343	2.8	87	0.00
56 T	Ethyl methacrylate	0.520	0.524	-0.8	87	0.00
57 T	1,3-Dichloropropane	0.592	0.576	2.7	86	0.00
58 T	2-Chloroethyl Vinyl ether	0.165	0.163	1.2	94	0.01
59 T	2-Hexanone	0.359	0.408	-13.6	105	0.00
60 T	Dibromochloromethane	0.412	0.407	1.2	88	0.00
61 T	1,2-Dibromoethane	0.345	0.340	1.4	89	0.00
62 S	4-Bromofluorobenzene	0.398	0.369	7.3	93	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
64 T	Tetrachloroethene	0.429	0.444	-3.5	91	0.00
65 PM	Chlorobenzene	1.091	1.038	4.9	84	0.00
66 T	1,1,1,2-Tetrachloroethane	0.424	0.418	1.4	86	0.00
67 C	Ethyl Benzene	1.908	1.868	2.1#	85	0.00
68 T	m/p-Xylenes	0.725	0.709	2.2	84	0.00
69 T	o-Xylene	0.711	0.694	2.4	84	0.00
70 T	Styrene	1.217	1.209	0.7	84	0.00
71 P	Bromoform	0.307	0.320	-4.2	90	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.751	3.578	4.6	85	0.00
74 T	N-amyl acetate	1.410	1.418	-0.6	89	0.00
75 P	1,1,2,2-Tetrachloroethane	1.044	1.031	1.2	92	0.00
76 T	1,2,3-Trichloropropane	0.798	0.723	9.4	81	0.00
77 T	Bromobenzene	0.921	0.865	6.1	85	0.00
78 T	n-propylbenzene	4.557	4.332	4.9	84	0.00
79 T	2-Chlorotoluene	2.597	2.468	5.0	84	0.00
80 T	1,3,5-Trimethylbenzene	3.140	3.000	4.5	84	0.00
81 T	trans-1,4-Dichloro-2-butene	0.354	0.362	-2.3	92	0.00
82 T	4-Chlorotoluene	2.712	2.516	7.2	82	0.00
83 T	tert-Butylbenzene	2.750	2.669	2.9	86	0.00
84 T	1,2,4-Trimethylbenzene	3.142	3.018	3.9	84	0.00
85 T	sec-Butylbenzene	4.116	3.941	4.3	84	0.00
86 T	p-Isopropyltoluene	3.438	3.273	4.8	83	0.00
87 T	1,3-Dichlorobenzene	1.827	1.728	5.4	84	0.00
88 T	1,4-Dichlorobenzene	1.827	1.738	4.9	85	0.00
89 T	n-Butylbenzene	3.256	3.053	6.2	82	0.00
90 T	Hexachloroethane	0.664	0.640	3.6	85	0.00
91 T	1,2-Dichlorobenzene	1.686	1.617	4.1	85	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.207	0.212	-2.4	97	0.00
93 T	1,2,4-Trichlorobenzene	1.062	1.011	4.8	84	0.00
94 T	Hexachlorobutadiene	0.544	0.463	14.9	74	0.00
95 T	Naphthalene	2.768	2.806	-1.4	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092623\
Data File : VY015705.D
Acq On : 26 Sep 2023 09:26
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Sep 27 01:29:51 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091923S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 20 01:39:40 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.980	0.947	3.4	85	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6