

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092721\
 Data File : VY006170.D
 Acq On : 27 Sep 2021 17:54
 Operator : SY/MD
 Sample : M3947-01
 Misc : 5.00G/5ML/MSVOA_Y/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CL-02-092421

Quant Time: Sep 28 06:22:38 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091421S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 15 05:01:47 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	108345	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	180976	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	169560	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	80764	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	76038	50.524	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	101.040%
35) Dibromofluoromethane	7.722	113	54812	48.762	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.520%
50) Toluene-d8	10.185	98	224012	46.758	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	93.520%
62) 4-Bromofluorobenzene	12.483	95	70263	43.197	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	86.400%
Target Compounds						Qvalue
20) Methylene Chloride	4.729	84	20492	12.417	ug/l	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092721\
Data File : VY006170.D
Acq On : 27 Sep 2021 17:54
Operator : SY/MD
Sample : M3947-01
Misc : 5.00G/5ML/MSVOA_Y/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CL-02-092421

Quant Time: Sep 28 06:22:38 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091421S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 15 05:01:47 2021
Response via : Initial Calibration

