

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY093022\
 Data File : VY010748.D
 Acq On : 30 Sep 2022 14:45
 Operator : KP/MD
 Sample : N4912-03
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 72-11939

Quant Time: Oct 01 06:18:04 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091922S.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 20 01:02:44 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	179262	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	280590	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	259173	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	131193	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	81480	47.521	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	95.040%
35) Dibromofluoromethane	7.716	113	78136	43.634	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	87.260%
50) Toluene-d8	10.179	98	259265	39.851	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	79.700%
62) 4-Bromofluorobenzene	12.477	95	96260	38.574	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	77.140%
Target Compounds						Qvalue
16) Acetone	3.942	43	6703	19.171	ug/l #	81

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY093022\
Data File : VY010748.D
Acq On : 30 Sep 2022 14:45
Operator : KP/MD
Sample : N4912-03
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
72-11939

Quant Time: Oct 01 06:18:04 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091922S.M
Quant Title : SW846 8260
QLast Update : Tue Sep 20 01:02:44 2022
Response via : Initial Calibration

