

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY093022\
 Data File : VY010752.D
 Acq On : 30 Sep 2022 16:16
 Operator : KP/MD
 Sample : N4896-01RE
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CRUSHED-MASONRY-PILE-9RE

Quant Time: Oct 01 06:18:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091922S.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 20 01:02:44 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	183183	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	304560	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	262174	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	104036	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	105896	60.439	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	120.880%
35) Dibromofluoromethane	7.722	113	6649	3.421	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	6.840%#
50) Toluene-d8	10.179	98	327811	45.907	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	91.820%
62) 4-Bromofluorobenzene	12.477	95	110773	41.068	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	82.140%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY093022\
Data File : VY010752.D
Acq On : 30 Sep 2022 16:16
Operator : KP/MD
Sample : N4896-01RE
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CRUSHED-MASONRY-PILE-9RE

Quant Time: Oct 01 06:18:52 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091922S.M
Quant Title : SW846 8260
QLast Update : Tue Sep 20 01:02:44 2022
Response via : Initial Calibration

