

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100324\
 Data File : VY019790.D
 Acq On : 03 Oct 2024 16:41
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 04 01:30:53 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 09 16:00:30 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	40#	0.00
2 T	Dichlorodifluoromethane	0.316	0.230	27.2#	35#	0.00
3 P	Chloromethane	0.414	0.422	-1.9	43#	0.00
4 C	Vinyl Chloride	0.447	0.504	-12.8#	45#	0.00
5 T	Bromomethane	0.275	0.373	-35.6#	52	0.00
6 T	Chloroethane	0.292	0.380	-30.1#	51	0.00
7 T	Trichlorofluoromethane	0.746	0.830	-11.3	45#	0.00
8 T	Diethyl Ether	0.250	0.286	-14.4	43#	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.461	0.506	-9.8	44#	0.00
10 T	Methyl Iodide	0.591	0.594	-0.5	39#	0.00
11 T	Tert butyl alcohol	0.037	0.045	-21.6	45#	0.00
12 CM	1,1-Dichloroethene	0.444	0.484	-9.0#	43#	0.00
13 T	Acrolein	0.020	0.006	70.0#	15#	0.00
14 T	Allyl chloride	0.796	0.884	-11.1	43#	0.00
15 T	Acrylonitrile	0.108	0.130	-20.4	45#	0.00
16 T	Acetone	0.110	0.124	-12.7	40#	0.00
17 T	Carbon Disulfide	1.199	1.166	2.8	36#	0.00
18 T	Methyl Acetate	0.299	0.373	-24.7	43#	0.00
19 T	Methyl tert-butyl Ether	1.256	1.494	-18.9	45#	0.00
20 T	Methylene Chloride	0.503	0.584	-16.1	46#	0.00
21 T	trans-1,2-Dichloroethene	0.486	0.555	-14.2	44#	0.00
22 T	Diisopropyl ether	1.634	1.985	-21.5	47#	0.00
23 T	Vinyl Acetate	0.933	1.086	-16.4	45#	0.00
24 P	1,1-Dichloroethane	0.917	1.125	-22.7	47#	0.00
25 T	2-Butanone	0.157	0.171	-8.9	40#	0.00
26 T	2,2-Dichloropropane	0.827	0.946	-14.4	45#	0.00
27 T	cis-1,2-Dichloroethene	0.591	0.718	-21.5	47#	0.00
28 T	Bromochloromethane	0.386	0.511	-32.4#	50#	0.00
29 T	Tetrahydrofuran	0.095	0.106	-11.6	41#	0.00
30 C	Chloroform	0.936	1.191	-27.2#	49#	0.00
31 T	Cyclohexane	0.829	0.811	2.2	40#	0.00
32 T	1,1,1-Trichloroethane	0.839	1.012	-20.6	47#	0.00
33 S	1,2-Dichloroethane-d4	0.463	0.547	-18.1	45#	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	41#	0.00
35 S	Dibromofluoromethane	0.283	0.313	-10.6	44#	0.00
36 T	1,1-Dichloropropene	0.386	0.427	-10.6	45#	0.00
37 T	Ethyl Acetate	0.198	0.216	-9.1	42#	0.00
38 T	Carbon Tetrachloride	0.435	0.482	-10.8	46#	0.00
39 T	Methylcyclohexane	0.513	0.496	3.3	40#	0.00
40 TM	Benzene	1.188	1.352	-13.8	46#	0.00
41 T	Methacrylonitrile	0.115	0.132	-14.8	42#	0.00
42 TM	1,2-Dichloroethane	0.320	0.389	-21.6	49#	0.00
43 T	Isopropyl Acetate	0.415	0.455	-9.6	43#	0.00
44 TM	Trichloroethene	0.306	0.336	-9.8	44#	0.00
45 C	1,2-Dichloropropane	0.290	0.337	-16.2#	47#	0.00
46 T	Dibromomethane	0.159	0.189	-18.9	46#	0.00
47 T	Bromodichloromethane	0.427	0.507	-18.7	48#	0.00
48 T	Methyl methacrylate	0.196	0.207	-5.6	40#	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100324\
 Data File : VY019790.D
 Acq On : 03 Oct 2024 16:41
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 04 01:30:53 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 09 16:00:30 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	45#	0.00
50 S	Toluene-d8	1.049	1.117	-6.5	43#	0.00
51 T	4-Methyl-2-Pentanone	0.209	0.229	-9.6	43#	0.00
52 CM	Toluene	0.764	0.876	-14.7#	46#	0.00
53 T	t-1,3-Dichloropropene	0.407	0.472	-16.0	46#	0.00
54 T	cis-1,3-Dichloropropene	0.474	0.526	-11.0	44#	0.00
55 T	1,1,2-Trichloroethane	0.219	0.254	-16.0	45#	0.00
56 T	Ethyl methacrylate	0.333	0.380	-14.1	45#	0.00
57 T	1,3-Dichloropropane	0.377	0.442	-17.2	46#	0.00
58 T	2-Chloroethyl Vinyl ether	0.155	0.175	-12.9	45#	0.00
59 T	2-Hexanone	0.153	0.158	-3.3	40#	0.00
60 T	Dibromochloromethane	0.290	0.338	-16.6	46#	0.00
61 T	1,2-Dibromoethane	0.204	0.228	-11.8	44#	0.00
62 S	4-Bromofluorobenzene	0.403	0.427	-6.0	44#	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	41#	0.00
64 T	Tetrachloroethene	0.310	0.337	-8.7	45#	0.00
65 PM	Chlorobenzene	0.984	1.115	-13.3	46#	0.00
66 T	1,1,1,2-Tetrachloroethane	0.341	0.391	-14.7	47#	0.00
67 C	Ethyl Benzene	1.748	1.988	-13.7#	47#	0.00
68 T	m/p-Xylenes	0.661	0.738	-11.6	46#	0.00
69 T	o-Xylene	0.646	0.718	-11.1	45#	0.00
70 T	Styrene	1.091	1.220	-11.8	45#	0.00
71 P	Bromoform	0.195	0.208	-6.7	42#	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	42#	0.00
73 T	Isopropylbenzene	3.627	4.021	-10.9	46#	0.00
74 T	N-amyl acetate	0.987	1.028	-4.2	42#	0.00
75 P	1,1,2,2-Tetrachloroethane	0.644	0.717	-11.3	45#	0.00
76 T	1,2,3-Trichloropropane	0.469	0.492	-4.9	39#	0.00
77 T	Bromobenzene	0.804	0.884	-10.0	45#	0.00
78 T	n-propylbenzene	4.299	4.759	-10.7	46#	0.00
79 T	2-Chlorotoluene	2.506	2.803	-11.9	46#	0.00
80 T	1,3,5-Trimethylbenzene	2.949	3.237	-9.8	45#	0.00
81 T	trans-1,4-Dichloro-2-butene	0.244	0.234	4.1	39#	0.00
82 T	4-Chlorotoluene	2.576	2.841	-10.3	46#	0.00
83 T	tert-Butylbenzene	2.670	2.894	-8.4	45#	0.00
84 T	1,2,4-Trimethylbenzene	2.919	3.236	-10.9	46#	0.00
85 T	sec-Butylbenzene	3.878	4.275	-10.2	46#	0.00
86 T	p-Isopropyltoluene	3.173	3.482	-9.7	46#	0.00
87 T	1,3-Dichlorobenzene	1.563	1.714	-9.7	45#	0.00
88 T	1,4-Dichlorobenzene	1.551	1.678	-8.2	45#	0.00
89 T	n-Butylbenzene	3.033	3.280	-8.1	45#	0.00
90 T	Hexachloroethane	0.660	0.716	-8.5	45#	0.00
91 T	1,2-Dichlorobenzene	1.395	1.535	-10.0	45#	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.107	0.108	-0.9	41#	0.00
93 T	1,2,4-Trichlorobenzene	0.848	0.836	1.4	40#	0.00
94 T	Hexachlorobutadiene	0.453	0.466	-2.9	43#	0.00
95 T	Naphthalene	1.699	1.637	3.6	38#	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100324\
Data File : VY019790.D
Acq On : 03 Oct 2024 16:41
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Oct 04 01:30:53 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
Quant Title : SW846 8260
QLast Update : Mon Sep 09 16:00:30 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.726	0.718	1.1	40#	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6