

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101025\
 Data File : VY023442.D
 Acq On : 10 Oct 2025 16:24
 Operator : SY/MD
 Sample : Q3326-07
 Misc : 4.52g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-2-VOC

Quant Time: Oct 11 02:00:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	603046	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1147865	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1188221	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	531220	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	289738	57.456	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 114.920%	
35) Dibromofluoromethane	7.634	113	377178	53.477	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 106.960%	
50) Toluene-d8	10.109	98	1379826	52.532	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 105.060%	
62) 4-Bromofluorobenzene	12.408	95	477999	55.121	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 110.240%	
Target Compounds						
16) Acetone	3.879	43	2417	2.013	ug/l	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101025\
Data File : VY023442.D
Acq On : 10 Oct 2025 16:24
Operator : SY/MD
Sample : Q3326-07
Misc : 4.52g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-2-VOC

Quant Time: Oct 11 02:00:31 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

