

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101222\
 Data File : VY010942.D
 Acq On : 12 Oct 2022 15:18
 Operator : KP/MD
 Sample : N5105-07
 Misc : 6.03g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-4

Quant Time: Oct 13 05:35:21 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100322S.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 04 07:26:22 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	94098	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	118303	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	70595	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	16041	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	21818	22.875	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	45.740%#
35) Dibromofluoromethane	7.716	113	24646	31.384	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	62.760%
50) Toluene-d8	10.179	98	149536	55.680	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	111.360%
62) 4-Bromofluorobenzene	12.483	95	23718	20.429	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	40.860%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101222\
Data File : VY010942.D
Acq On : 12 Oct 2022 15:18
Operator : KP/MD
Sample : N5105-07
Misc : 6.03g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-4

Quant Time: Oct 13 05:35:21 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100322S.M
Quant Title : SW846 8260
QLast Update : Tue Oct 04 07:26:22 2022
Response via : Initial Calibration

