

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101722\
 Data File : VY010978.D
 Acq On : 17 Oct 2022 18:29
 Operator : KP/MD
 Sample : N4955-03 2.5PPB
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MDL-SOIL-03-QT4-2022

Quant Time: Oct 18 01:46:46 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y101722S.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 18 01:42:42 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	272584	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	460140	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	407372	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	192399	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	126612	50.425	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 100.840%	
35) Dibromofluoromethane	7.716	113	125378	48.831	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 97.660%	
50) Toluene-d8	10.179	98	454302	47.285	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 94.580%	
62) 4-Bromofluorobenzene	12.477	95	155852	45.519	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 91.040%	

Target Compounds					Qvalue	
2) Dichlorodifluoromethane	1.906	85	5102	2.822	ug/l	95
3) Chloromethane	2.113	50	8308	3.203	ug/l	99
4) Vinyl Chloride	2.247	62	8445	2.872	ug/l	91
5) Bromomethane	2.650	94	7041	3.462	ug/l	100
6) Chloroethane	2.790	64	5618	2.859	ug/l	99
7) Trichlorofluoromethane	3.119	101	11648	2.707	ug/l	94
8) Diethyl Ether	3.521	74	4542	2.828	ug/l	88
9) 1,1,2-Trichlorotrifluo...	3.893	101	7421	2.749	ug/l	93
10) Methyl Iodide	4.082	142	9314	2.820	ug/l	89
11) Tert butyl alcohol	4.924	59	8932	10.841	ug/l #	85
12) 1,1-Dichloroethene	3.869	96	7231	2.796	ug/l	90
13) Acrolein	3.723	56	5445	13.452	ug/l	92
14) Allyl chloride	4.473	41	11162	2.722	ug/l #	88
15) Acrylonitrile	5.161	53	11530	13.774	ug/l	98
16) Acetone	3.942	43	10522	14.430	ug/l #	87
17) Carbon Disulfide	4.192	76	22792	3.007	ug/l	98
18) Methyl Acetate	4.473	43	9255	1.795	ug/l	97
19) Methyl tert-butyl Ether	5.216	73	18703	2.589	ug/l	93
21) trans-1,2-Dichloroethene	5.216	96	8168	2.798	ug/l	95
22) Diisopropyl ether	6.106	45	21692	2.470	ug/l	97
23) Vinyl Acetate	6.058	43	56628	10.783	ug/l #	90
24) 1,1-Dichloroethane	6.015	63	14199	2.678	ug/l	98
25) 2-Butanone	6.984	43	15743	14.237	ug/l	96
26) 2,2-Dichloropropane	6.972	77	14003	2.974	ug/l	97
27) cis-1,2-Dichloroethene	6.984	96	9138	2.716	ug/l	93
28) Bromochloromethane	7.332	49	4466	5.730	ug/l #	81
29) Tetrahydrofuran	7.344	42	9030	13.273	ug/l #	86
30) Chloroform	7.502	83	14561	2.724	ug/l	99
31) Cyclohexane	7.783	56	16674	3.470	ug/l #	48
32) 1,1,1-Trichloroethane	7.698	97	12391	2.637	ug/l	96
36) 1,1-Dichloropropene	7.911	75	11234	2.623	ug/l	96
37) Ethyl Acetate	7.070	43	6882	2.902	ug/l #	94
38) Carbon Tetrachloride	7.899	117	11167	2.525	ug/l	99
39) Methylcyclohexane	9.179	83	13024	2.539	ug/l	93
40) Benzene	8.155	78	34010	2.706	ug/l	98
41) Methacrylonitrile	7.307	41	2683	2.088	ug/l #	1

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101722\
 Data File : VY010978.D
 Acq On : 17 Oct 2022 18:29
 Operator : KP/MD
 Sample : N4955-03 2.5PPB
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MDL-SOIL-03-QT4-2022

Quant Time: Oct 18 01:46:46 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y101722S.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 18 01:42:42 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) 1,2-Dichloroethane	8.234	62	9789	2.811	ug/l	93
43) Isopropyl Acetate	8.271	43	10282	2.427	ug/l #	87
44) Trichloroethene	8.935	130	8820	2.590	ug/l	88
45) 1,2-Dichloropropane	9.209	63	8459	2.653	ug/l	100
46) Dibromomethane	9.301	93	4665	2.623	ug/l	98
47) Bromodichloromethane	9.496	83	11104	2.591	ug/l	93
48) Methyl methacrylate	9.289	41	4678	2.467	ug/l #	83
49) 1,4-Dioxane	9.295	88	1076	42.107	ug/l	99
51) 4-Methyl-2-Pentanone	10.069	43	28510	12.065	ug/l	90
52) Toluene	10.240	92	20591	2.637	ug/l	96
53) t-1,3-Dichloropropene	10.465	75	10995	2.469	ug/l	95
54) cis-1,3-Dichloropropene	9.923	75	12615	2.476	ug/l #	81
55) 1,1,2-Trichloroethane	10.642	97	6825	2.660	ug/l	98
56) Ethyl methacrylate	10.508	69	7936	2.329	ug/l #	79
57) 1,3-Dichloropropane	10.788	76	11533	2.614	ug/l	100
58) 2-Chloroethyl Vinyl ether	9.783	63	18707	27.303	ug/l	98
59) 2-Hexanone	10.831	43	18376	11.321	ug/l	88
60) Dibromochloromethane	10.984	129	7502	2.459	ug/l	98
61) 1,2-Dibromoethane	11.087	107	6455	2.627	ug/l	99
64) Tetrachloroethene	10.721	164	8691	2.741	ug/l	95
65) Chlorobenzene	11.514	112	22061	2.638	ug/l	100
66) 1,1,1,2-Tetrachloroethane	11.587	131	7731	2.497	ug/l	95
67) Ethyl Benzene	11.593	91	37265	2.519	ug/l	92
68) m/p-Xylenes	11.703	106	27617	4.852	ug/l	96
69) o-Xylene	12.026	106	12769	2.363	ug/l	97
70) Styrene	12.044	104	21229	2.318	ug/l	96
71) Bromoform	12.203	173	4966	2.599	ug/l #	99
73) Isopropylbenzene	12.325	105	33449	2.393	ug/l	99
74) N-amyl acetate	12.142	43	8144	2.296	ug/l	91
75) 1,1,2,2-Tetrachloroethane	12.581	83	8166	2.784	ug/l	99
76) 1,2,3-Trichloropropane	12.630	75	10492	4.803	ug/l #	100
77) Bromobenzene	12.605	156	9080	2.779	ug/l	99
78) n-propylbenzene	12.672	91	43476	2.556	ug/l	100
79) 2-Chlorotoluene	12.758	91	24421	2.550	ug/l	97
80) 1,3,5-Trimethylbenzene	12.812	105	27911	2.393	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.374	75	2529	2.490	ug/l #	85
82) 4-Chlorotoluene	12.855	91	25587	2.566	ug/l	98
83) tert-Butylbenzene	13.075	119	24078	2.387	ug/l	95
84) 1,2,4-Trimethylbenzene	13.117	105	27071	2.354	ug/l	100
85) sec-Butylbenzene	13.251	105	36850	2.432	ug/l	100
86) p-Isopropyltoluene	13.367	119	29543	2.350	ug/l	97
87) 1,3-Dichlorobenzene	13.367	146	17296	2.652	ug/l	99
88) 1,4-Dichlorobenzene	13.447	146	18103	2.792	ug/l	89
89) n-Butylbenzene	13.696	91	29104	2.477	ug/l	99
90) Hexachloroethane	13.959	117	6561	2.644	ug/l	86
91) 1,2-Dichlorobenzene	13.739	146	16034	2.748	ug/l	97
92) 1,2-Dibromo-3-Chloropr...	14.355	75	1201	2.476	ug/l	74
93) 1,2,4-Trichlorobenzene	15.007	180	8815	2.528	ug/l	96
94) Hexachlorobutadiene	15.111	225	5775	2.814	ug/l	97
95) Naphthalene	15.233	128	16628	2.342	ug/l	99
96) 1,2,3-Trichlorobenzene	15.428	180	7528	2.475	ug/l	96

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101722\
Data File : VY010978.D
Acq On : 17 Oct 2022 18:29
Operator : KP/MD
Sample : N4955-03 2.5PPB
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022

Quant Time: Oct 18 01:46:46 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y101722S.M
Quant Title : SW846 8260
QLast Update : Tue Oct 18 01:42:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

(#)=qualifier out of range (m)=manual integration (+)=signals summed						

Quant Time: Oct 18 01:46:46 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y101722S.M
Quant Title : SW846 8260
QLast Update : Tue Oct 18 01:42:42 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.789 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:168 Resp: 272584
Ion Ratio Lower Upper
168 100
99 54.0 46.9 70.3



#2
Dichlorodifluoromethane
Concen: 2.822 ug/l
RT: 1.906 min Scan# 14
Delta R.T. 0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 85 Resp: 5102
Ion Ratio Lower Upper
85 100
87 29.1 16.1 48.2









#3
Chloromethane
Concen: 3.203 ug/l
RT: 2.113 min Scan# 48
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 50 Resp: 8308
Ion Ratio Lower Upper
50 100
52 30.5 24.6 37.0



#4
Vinyl Chloride
Concen: 2.872 ug/l
RT: 2.247 min Scan# 70
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 62 Resp: 8445
Ion Ratio Lower Upper
62 100
64 36.4 25.0 37.6









#5
Bromomethane
Concen: 3.462 ug/l
RT: 2.650 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 94 Resp: 7041
Ion Ratio Lower Upper
94 100
96 91.8 73.5 110.3



#6
Chloroethane
Concen: 2.859 ug/l
RT: 2.790 min Scan# 159
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 64 Resp: 5618
Ion Ratio Lower Upper
64 100
66 30.9 25.4 38.0









#7
Trichlorofluoromethane
Concen: 2.707 ug/l
RT: 3.119 min Scan# 213
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:101 Resp: 11648
Ion Ratio Lower Upper
101 100
103 64.8 48.0 72.0



#8
Diethyl Ether
Concen: 2.828 ug/l
RT: 3.521 min Scan# 279
Delta R.T. -0.007 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 74 Resp: 4542
Ion Ratio Lower Upper
74 100
45 97.8 55.1 165.5









#9
1,1,2-Trichlorotrifluoroethane
Concen: 2.749 ug/l
RT: 3.893 min Scan# 34
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:	101	Resp:	7421
Ion	Ratio	Lower	Upper
101	100		
85	43.5	40.6	60.8
151	76.2	64.9	97.3



#10
Methyl Iodide
Concen: 2.820 ug/l
RT: 4.082 min Scan# 371
Delta R.T. -0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:	142	Resp:	9314
Ion	Ratio	Lower	Upper
142	100		
127	41.8	41.5	62.3
141	14.4	11.9	17.9





#11

Tert butyl alcohol

Concen: 10.841 ug/l

RT: 4.924 min Scan# 509

Delta R.T. -0.030 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29

Instrument :

MSVOA_Y

ClientSampleId :





MDL-SOIL-03-QT4-2022

Tgt Ion: 59 Resp: 8932

Ion Ratio Lower Upper

59 100

57 2.5 6.4 9.6#



#12

1,1-Dichloroethene

Concen: 2.796 ug/l

RT: 3.869 min Scan# 336

Delta R.T. -0.000 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29




Tgt Ion: 96 Resp: 7231


Ion Ratio Lower Upper

96 100

61 163.5 145.8 218.6

98 67.6 52.5 78.7









#13
Acrolein
Concen: 13.452 ug/l
RT: 3.723 min Scan# 312
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 56 Resp: 5445
Ion Ratio Lower Upper
56 100
55 65.6 57.6 86.4



#14
Allyl chloride
Concen: 2.722 ug/l
RT: 4.473 min Scan# 435
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 41 Resp: 11162
Ion Ratio Lower Upper
41 100
39 63.3 58.8 88.2
76 37.8 25.1 37.7#









#15
Acrylonitrile
Concen: 13.774 ug/l
RT: 5.161 min Scan# 54
Delta R.T. 0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 53 Resp: 11530
Ion Ratio Lower Upper
53 100
52 81.7 67.0 100.4
51 37.0 29.8 44.6



#16
Acetone
Concen: 14.430 ug/l
RT: 3.942 min Scan# 348
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 43 Resp: 10522
Ion Ratio Lower Upper
43 100
58 34.5 22.0 33.0#









#17
Carbon Disulfide
Concen: 3.007 ug/l
RT: 4.192 min Scan# 389
Delta R.T. 0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 76 Resp: 22792
Ion Ratio Lower Upper
76 100
78 8.6 7.4 11.0



#18
Methyl Acetate
Concen: 1.795 ug/l
RT: 4.473 min Scan# 435
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 43 Resp: 9255
Ion Ratio Lower Upper
43 100
74 22.2 16.6 24.8





#19

Methyl tert-butyl Ether

Concen: 2.589 ug/l

RT: 5.216 min Scan# 557

Delta R.T. 0.000 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29

Instrument :

MSVOA_Y

ClientSampleId :





MDL-SOIL-03-QT4-2022

Tgt Ion: 73 Resp: 18703

Ion Ratio Lower Upper

73 100

57 19.8 18.6 27.8



#21

trans-1,2-Dichloroethene

Concen: 2.798 ug/l

RT: 5.216 min Scan# 557

Delta R.T. 0.000 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29




Tgt Ion: 96 Resp: 8168


Ion Ratio Lower Upper

96 100

61 143.4 120.5 180.7

98 66.0 49.8 74.8









#22
Diisopropyl ether
Concen: 2.470 ug/l
RT: 6.106 min Scan# 704
Delta R.T. -0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:	45	Resp:	21692
Ion	Ratio	Lower	Upper
45	100		
43	61.9	49.3	73.9
87	28.3	19.2	28.8
59	11.1	8.4	12.6



#23
Vinyl Acetate
Concen: 10.783 ug/l
RT: 6.058 min Scan# 695
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:	43	Resp:	56628
Ion	Ratio	Lower	Upper
43	100		
86	12.6	7.1	10.7#









#24
1,1-Dichloroethane
Concen: 2.678 ug/l
RT: 6.015 min Scan# 618
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:	63	Resp:	14199
Ion	Ratio	Lower	Upper
63	100		
98	7.8	3.6	10.8
100	4.4	2.0	5.8



#25
2-Butanone
Concen: 14.237 ug/l
RT: 6.984 min Scan# 847
Delta R.T. 0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:	43	Resp:	15743
Ion	Ratio	Lower	Upper
43	100		
72	24.1	17.7	26.5









#26
2,2-Dichloropropane
Concen: 2.974 ug/l
RT: 6.972 min Scan# 845
Delta R.T. -0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 77 Resp: 14003
Ion Ratio Lower Upper
77 100
97 19.6 10.4 31.4



#27
cis-1,2-Dichloroethene
Concen: 2.716 ug/l
RT: 6.984 min Scan# 847
Delta R.T. 0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 96 Resp: 9138
Ion Ratio Lower Upper
96 100
61 147.9 0.0 319.8
98 64.1 0.0 127.0









#28
Bromochloromethane
Concen: 5.730 ug/l
RT: 7.332 min Scan# 904
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 49 Resp: 4466
Ion Ratio Lower Upper
49 100
129 0.0 0.0 2.2
130 84.6 55.4 83.0#



#29
Tetrahydrofuran
Concen: 13.273 ug/l
RT: 7.344 min Scan# 906
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 42 Resp: 9030
Ion Ratio Lower Upper
42 100
72 45.3 30.3 45.5
71 46.0 29.0 43.4#





#30

Chloroform

Concen: 2.724 ug/l

RT: 7.502 min Scan# 91

Delta R.T. 0.000 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29

Instrument :

MSVOA_Y

ClientSampleId :





MDL-SOIL-03-QT4-2022

Tgt Ion: 83 Resp: 14561

Ion Ratio Lower Upper

83 100

85 64.0 51.8 77.6



#31

Cyclohexane

Concen: 3.470 ug/l

RT: 7.783 min Scan# 978

Delta R.T. -0.000 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29




Tgt Ion: 56 Resp: 16674


Ion Ratio Lower Upper

56 100

69 78.8 26.7 40.1#

84 120.7 67.2 100.8#









#32
1,1,1-Trichloroethane
Concen: 2.637 ug/l
RT: 7.698 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 97 Resp: 12391
Ion Ratio Lower Upper
97 100
99 62.0 50.7 76.1
61 42.2 37.6 56.4



#33
1,2-Dichloroethane-d4
Concen: 50.425 ug/l
RT: 8.136 min Scan# 1036
Delta R.T. 0.001 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 65 Resp: 126612
Ion Ratio Lower Upper
65 100
67 54.3 0.0 99.4









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.685 min Scan# 1126
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:	114	Resp:	460140
Ion	Ratio	Lower	Upper
114	100		
63	19.5	0.0	43.2
88	15.2	0.0	31.8



#35
Dibromofluoromethane
Concen: 48.831 ug/l
RT: 7.716 min Scan# 967
Delta R.T. 0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:	113	Resp:	125378
Ion	Ratio	Lower	Upper
113	100		
111	103.4	82.6	124.0
192	19.7	17.6	26.4









#36
1,1-Dichloropropene
Concen: 2.623 ug/l
RT: 7.911 min Scan# 911
Delta R.T. -0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 75 Resp: 11234
Ion Ratio Lower Upper
75 100
110 36.4 17.1 51.2
77 33.2 24.4 36.6



#37
Ethyl Acetate
Concen: 2.902 ug/l
RT: 7.070 min Scan# 861
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29


Tgt Ion: 43 Resp: 6882
Ion Ratio Lower Upper
43 100
61 15.8 9.7 14.5#
70 9.0 7.1 10.7








#38
Carbon Tetrachloride
Concen: 2.525 ug/l
RT: 7.899 min Scan# 997
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022







Tgt Ion:117 Resp: 11167
Ion Ratio Lower Upper
117 100
119 97.6 77.9 116.9
121 28.0 24.8 37.2



#39
Methylcyclohexane
Concen: 2.539 ug/l
RT: 9.179 min Scan# 1207
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 83 Resp: 13024
Ion Ratio Lower Upper
83 100
55 74.3 66.5 99.7
98 49.5 37.9 56.9









#40
Benzene
Concen: 2.706 ug/l
RT: 8.155 min Scan# 1039
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument : MSVOA_Y
ClientSampleId : MDL-SOIL-03-QT4-2022


Tgt Ion: 78 Resp: 34010
Ion Ratio Lower Upper
78 100
77 24.3 20.4 30.6



#41
Methacrylonitrile
Concen: 2.088 ug/l
RT: 7.307 min Scan# 900
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 41 Resp: 2683
Ion Ratio Lower Upper
41 100
39 0.0 92.9 139.3#
67 88.0 0.0 0.0#
52 35.6 0.0 0.0#





#42

1,2-Dichloroethane

Concen: 2.811 ug/l

RT: 8.234 min Scan# 1052

Delta R.T. 0.000 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29

Instrument :

MSVOA_Y

ClientSampleId :





MDL-SOIL-03-QT4-2022

Tgt Ion: 62 Resp: 9789

Ion Ratio Lower Upper

62 100

98 9.8 0.0 14.8



#43

Isopropyl Acetate

Concen: 2.427 ug/l

RT: 8.271 min Scan# 1058

Delta R.T. -0.000 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29




Tgt Ion: 43 Resp: 10282


Ion Ratio Lower Upper

43 100

61 33.5 20.2 30.2#

87 13.3 8.9 13.3#









#44
Trichloroethene
Concen: 2.590 ug/l
RT: 8.935 min Scan# 1167
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:130 Resp: 8820
Ion Ratio Lower Upper
130 100
95 105.8 0.0 188.2



#45
1,2-Dichloropropane
Concen: 2.653 ug/l
RT: 9.209 min Scan# 1212
Delta R.T. -0.007 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 63 Resp: 8459
Ion Ratio Lower Upper
63 100
65 28.8 23.0 34.6









#46
Dibromomethane
Concen: 2.623 ug/l
RT: 9.301 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 93 Resp: 4665
Ion Ratio Lower Upper
93 100
95 78.3 64.3 96.5
174 102.3 83.4 125.0



#47
Bromodichloromethane
Concen: 2.591 ug/l
RT: 9.496 min Scan# 1259
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 83 Resp: 11104
Ion Ratio Lower Upper
83 100
85 58.6 51.9 77.9
127 9.5 6.6 10.0





#48

Methyl methacrylate

Concen: 2.467 ug/l

RT: 9.289 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29

Instrument :

MSVOA_Y

ClientSampleId :

MDL-SOIL-03-QT4-2022





Tgt Ion: 41 Resp: 4678

Ion Ratio Lower Upper

41 100

69 93.7 58.2 87.2#

39 53.8 47.4 71.0



#49

1,4-Dioxane

Concen: 42.107 ug/l

RT: 9.295 min Scan# 1226

Delta R.T. -0.000 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29




Tgt Ion: 88 Resp: 1076


Ion Ratio Lower Upper

88 100

43 39.8 32.8 49.2

58 74.5 59.8 89.6









#50
Toluene-d8
Concen: 47.285 ug/l
RT: 10.179 min Scan# 1371
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 98 Resp: 454302
Ion Ratio Lower Upper
98 100
100 64.6 50.2 75.2



#51
4-Methyl-2-Pentanone
Concen: 12.065 ug/l
RT: 10.069 min Scan# 1353
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 43 Resp: 28510
Ion Ratio Lower Upper
43 100
58 40.9 28.1 42.1









#52
Toluene
Concen: 2.637 ug/l
RT: 10.240 min Scan# 1381
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 92 Resp: 20591
Ion Ratio Lower Upper
92 100
91 172.7 142.6 213.8



#53
t-1,3-Dichloropropene
Concen: 2.469 ug/l
RT: 10.465 min Scan# 1418
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 75 Resp: 10995
Ion Ratio Lower Upper
75 100
77 34.5 25.4 38.2









#54
cis-1,3-Dichloropropene
Concen: 2.476 ug/l
RT: 9.923 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:	75	Resp:	12615
Ion	Ratio	Lower	Upper
75	100		
77	31.3	25.6	38.4
39	38.3	47.6	71.4#



#55
1,1,2-Trichloroethane
Concen: 2.660 ug/l
RT: 10.642 min Scan# 1447
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:	97	Resp:	6825
Ion	Ratio	Lower	Upper
97	100		
83	83.9	69.8	104.8
85	55.0	44.3	66.5
99	62.5	49.8	74.6









#56
Ethyl methacrylate
Concen: 2.329 ug/l
RT: 10.508 min Scan# 1425
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument : MSVOA_Y
ClientSampleId : MDL-SOIL-03-QT4-2022


Tgt Ion: 69 Resp: 7936
Ion Ratio Lower Upper
69 100
41 62.2 63.4 95.0#
39 29.4 35.8 53.8#



#57
1,3-Dichloropropane
Concen: 2.614 ug/l
RT: 10.788 min Scan# 1471
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 76 Resp: 11533
Ion Ratio Lower Upper
76 100
78 31.1 25.0 37.6





#58

2-Chloroethyl Vinyl ether

Concen: 27.303 ug/l

RT: 9.783 min Scan# 1306

Delta R.T. -0.000 min

Lab File: VY010978.D

Acq: 17 Oct 2022 18:29

Instrument :

MSVOA_Y

ClientSampleId :





MDL-SOIL-03-QT4-2022

Tgt Ion: 63 Resp: 18707

Ion Ratio Lower Upper

63 100

106 28.0 21.5 32.3



#59

2-Hexanone

Concen: 11.321 ug/l

RT: 10.831 min Scan# 1478

Delta R.T. 0.000 min

Lab File: VY010978.D




Acq: 17 Oct 2022 18:29


Tgt Ion: 43 Resp: 18376

Ion Ratio Lower Upper

43 100

58 57.2 24.4 73.4









#60
Dibromochloromethane
Concen: 2.459 ug/l
RT: 10.984 min Scan# 1503
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument : MSVOA_Y
ClientSampleId : MDL-SOIL-03-QT4-2022


Tgt Ion:129 Resp: 7502
Ion Ratio Lower Upper
129 100
127 79.0 38.7 116.1



#61
1,2-Dibromoethane
Concen: 2.627 ug/l
RT: 11.087 min Scan# 1520
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:107 Resp: 6455
Ion Ratio Lower Upper
107 100
109 95.1 75.4 113.2









#62
4-Bromofluorobenzene
Concen: 45.519 ug/l
RT: 12.477 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 95 Resp: 155852
Ion Ratio Lower Upper
95 100
174 82.5 0.0 177.0
176 80.3 0.0 175.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.490 min Scan# 1586
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 117 Resp: 407372
Ion Ratio Lower Upper
117 100
82 55.5 43.0 64.4
119 32.7 25.4 38.0









#64
Tetrachloroethene
Concen: 2.741 ug/l
RT: 10.721 min Scan# 1459
Delta R.T. 0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:164	Resp:	8691
Ion	Ratio	Lower Upper
164	100	
166	120.1	100.4 150.6
129	79.5	71.4 107.0
131	89.5	70.8 106.2



#65
Chlorobenzene
Concen: 2.638 ug/l
RT: 11.514 min Scan# 1590
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:112	Resp:	22061
Ion	Ratio	Lower Upper
112	100	
114	32.2	25.8 38.6









#66
1,1,1,2-Tetrachloroethane
Concen: 2.497 ug/l
RT: 11.587 min Scan# 1602
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:131 Resp: 7731
Ion Ratio Lower Upper
131 100
133 97.2 47.9 143.6
119 69.0 30.8 92.3



#67
Ethyl Benzene
Concen: 2.519 ug/l
RT: 11.593 min Scan# 1603
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 91 Resp: 37265
Ion Ratio Lower Upper
91 100
106 34.8 24.5 36.7









#68
m/p-Xylenes
Concen: 4.852 ug/l
RT: 11.703 min Scan# 1621
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:106 Resp: 27617
Ion Ratio Lower Upper
106 100
91 201.6 166.6 249.8



#69
o-Xylene
Concen: 2.363 ug/l
RT: 12.026 min Scan# 1674
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:106 Resp: 12769
Ion Ratio Lower Upper
106 100
91 216.3 110.3 331.0









#70
Styrene
Concen: 2.318 ug/l
RT: 12.044 min Scan# 1
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:	104	Resp:	21229
Ion	Ratio	Lower	Upper
104	100		
78	47.7	42.4	63.6
103	54.5	44.4	66.6



#71
Bromoform
Concen: 2.599 ug/l
RT: 12.203 min Scan# 1703
Delta R.T. -0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:	173	Resp:	4966
Ion	Ratio	Lower	Upper
173	100		
175	50.1	24.6	74.0
254	0.0	0.0	0.0









#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.422 min Scan# 1903
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:152 Resp: 192399
Ion Ratio Lower Upper
152 100
115 59.1 28.2 84.7
150 157.3 0.0 347.6



#73
Isopropylbenzene
Concen: 2.393 ug/l
RT: 12.325 min Scan# 1723
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:105 Resp: 33449
Ion Ratio Lower Upper
105 100
120 26.4 13.4 40.2









#74
N-amy1 acetate
Concen: 2.296 ug/l
RT: 12.142 min Scan# 1693
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument : MSVOA_Y
ClientSampleId : MDL-SOIL-03-QT4-2022


Tgt Ion:	43	Resp:	8144
Ion	Ratio	Lower	Upper
43	100		
70	42.9	28.7	43.1
55	25.4	17.3	25.9
61	24.0	17.0	25.6



#75
1,1,2,2-Tetrachloroethane
Concen: 2.784 ug/l
RT: 12.581 min Scan# 1765
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:	83	Resp:	8166
Ion	Ratio	Lower	Upper
83	100		
131	10.9	5.6	16.8
85	64.1	32.3	96.8









#76
1,2,3-Trichloropropane
Concen: 4.803 ug/l
RT: 12.630 min Scan# 1773
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 75 Resp: 10492
Ion Ratio Lower Upper
75 100
77 0.0 0.0 0.0



#77
Bromobenzene
Concen: 2.779 ug/l
RT: 12.605 min Scan# 1769
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:156 Resp: 9080
Ion Ratio Lower Upper
156 100
77 189.4 95.5 286.4
158 97.3 48.0 144.0









#78
n-propylbenzene
Concen: 2.556 ug/l
RT: 12.672 min Scan# 1780
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 91 Resp: 43476
Ion Ratio Lower Upper
91 100
120 22.7 11.3 33.9



#79
2-Chlorotoluene
Concen: 2.550 ug/l
RT: 12.758 min Scan# 1794
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 91 Resp: 24421
Ion Ratio Lower Upper
91 100
126 35.2 16.9 50.6









#80
1,3,5-Trimethylbenzene
Concen: 2.393 ug/l
RT: 12.812 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:105 Resp: 27911
Ion Ratio Lower Upper
105 100
120 48.3 24.4 73.4



#81
trans-1,4-Dichloro-2-butene
Concen: 2.490 ug/l
RT: 12.374 min Scan# 1731
Delta R.T. -0.006 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 75 Resp: 2529
Ion Ratio Lower Upper
75 100
53 85.0 85.3 127.9#
89 46.1 37.0 55.4









#82
4-Chlorotoluene
Concen: 2.566 ug/l
RT: 12.855 min Scan# 1810
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion: 91 Resp: 25587
Ion Ratio Lower Upper
91 100
126 35.2 17.0 51.0



#83
tert-Butylbenzene
Concen: 2.387 ug/l
RT: 13.075 min Scan# 1846
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion: 119 Resp: 24078
Ion Ratio Lower Upper
119 100
91 64.6 34.8 104.4
134 28.0 13.3 39.9









#84
1,2,4-Trimethylbenzene
Concen: 2.354 ug/l
RT: 13.117 min Scan# 1853
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:105 Resp: 27071
Ion Ratio Lower Upper
105 100
120 44.9 22.3 66.9



#85
sec-Butylbenzene
Concen: 2.432 ug/l
RT: 13.251 min Scan# 1875
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:105 Resp: 36850
Ion Ratio Lower Upper
105 100
134 20.2 10.2 30.4









#86
p-Isopropyltoluene
Concen: 2.350 ug/l
RT: 13.367 min Scan# 1894
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument : MSVOA_Y
ClientSampleId : MDL-SOIL-03-QT4-2022


Tgt Ion:	119	Resp:	29543
Ion	Ratio	Lower	Upper
119	100		
134	26.7	13.2	39.5
91	22.0	12.4	37.2



#87
1,3-Dichlorobenzene
Concen: 2.652 ug/l
RT: 13.367 min Scan# 1894
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:	146	Resp:	17296
Ion	Ratio	Lower	Upper
146	100		
111	40.3	19.5	58.5
148	63.0	31.6	95.0









#88
1,4-Dichlorobenzene
Concen: 2.792 ug/l
RT: 13.447 min Scan# 1907
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:	146	Resp:	18103
Ion	Ratio	Lower	Upper
146	100		
111	52.6	19.3	57.8
148	68.7	32.6	97.8



#89
n-Butylbenzene
Concen: 2.477 ug/l
RT: 13.696 min Scan# 1948
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:	91	Resp:	29104
Ion	Ratio	Lower	Upper
91	100		
92	51.7	26.3	78.9
134	25.4	13.0	38.9









#90
Hexachloroethane
Concen: 2.644 ug/l
RT: 13.959 min Scan# 1991
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:117 Resp: 6561
Ion Ratio Lower Upper
117 100
201 72.6 43.0 128.8



#91
1,2-Dichlorobenzene
Concen: 2.748 ug/l
RT: 13.739 min Scan# 1955
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:146 Resp: 16034
Ion Ratio Lower Upper
146 100
111 39.8 20.3 60.9
148 61.8 32.3 96.9









#92
1,2-Dibromo-3-Chloropropane
Concen: 2.476 ug/l
RT: 14.355 min Scan# 2056
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument : MSVOA_Y
ClientSampleId : MDL-SOIL-03-QT4-2022


Tgt Ion:	75	Resp:	1201
Ion	Ratio	Lower	Upper
75	100		
155	95.4	38.0	113.9
157	124.1	47.8	143.3



#93
1,2,4-Trichlorobenzene
Concen: 2.528 ug/l
RT: 15.007 min Scan# 2163
Delta R.T. 0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:	180	Resp:	8815
Ion	Ratio	Lower	Upper
180	100		
182	97.3	47.3	141.9
145	32.4	14.6	43.8









#94
Hexachlorobutadiene
Concen: 2.814 ug/l
RT: 15.111 min Scan# 2180
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29




Instrument :
MSVOA_Y
ClientSampleId :
MDL-SOIL-03-QT4-2022


Tgt Ion:225 Resp: 5775
Ion Ratio Lower Upper
225 100
223 66.9 30.8 92.3
227 63.1 31.6 94.7



#95
Naphthalene
Concen: 2.342 ug/l
RT: 15.233 min Scan# 2200
Delta R.T. -0.000 min
Lab File: VY010978.D
Acq: 17 Oct 2022 18:29

Tgt Ion:128 Resp: 16628
Ion Ratio Lower Upper
128 100
127 12.9 11.0 16.4
129 10.3 8.4 12.6





#96

1,2,3-Trichlorobenzene

Concen: 2.475 ug/l

RT: 15.428 min Scan# 21

Delta R.T. 0.006 min

Lab File: VY010978.D


Acq: 17 Oct 2022 18:29

Instrument :

MSVOA_Y

ClientSampleId :

MDL-SOIL-03-QT4-2022



Tgt Ion:180 Resp: 7528

Ion Ratio Lower Upper

180 100

182 98.2 47.3 141.9

145 33.1 15.3 45.9

