

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv101819\
 Data File : VY000342.D
 Acq On : 18 Oct 2019 10:48
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 19 00:59:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 17 02:03:07 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	117	0.00
2 T	Dichlorodifluoromethane	0.446	0.343	23.1#	101	0.00
3 P	Chloromethane	0.611	0.506	17.2	103	0.00
4 C	Vinyl Chloride	0.617	0.550	10.9#	110	0.00
5 T	Bromomethane	0.457	0.374	18.2	111	0.00
6 T	Chloroethane	0.398	0.362	9.0	109	0.00
7 T	Trichlorofluoromethane	0.843	0.795	5.7	114	0.00
8 T	Diethyl Ether	0.298	0.295	1.0	121	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.512	0.497	2.9	117	0.00
10 T	Methyl Iodide	0.668	0.683	-2.2	107	0.00
11 T	Tert butyl alcohol	0.055	0.052	5.5	110	-0.02
12 CM	1,1-Dichloroethene	0.505	0.484	4.2#	114	0.00
13 T	Acrolein	0.065	0.062	4.6	111	0.00
14 T	Allyl chloride	0.837	0.839	-0.2	121	0.00
15 T	Acrylonitrile	0.167	0.166	0.6	114	0.00
16 T	Acetone	0.171	0.163	4.7	102	0.00
17 T	Carbon Disulfide	1.590	1.409	11.4	108	0.00
18 T	Methyl Acetate	0.424	0.399	5.9	119	0.00
19 T	Methyl tert-butyl Ether	1.406	1.450	-3.1	123	-0.01
20 T	Methylene Chloride	0.700	0.558	20.3#	115	0.00
21 T	trans-1,2-Dichloroethene	0.579	0.544	6.0	114	0.00
22 T	Diisopropyl ether	1.770	1.853	-4.7	124	0.00
23 T	Vinyl Acetate	1.155	1.218	-5.5	120	-0.01
24 P	1,1-Dichloroethane	0.966	0.982	-1.7	121	0.00
25 T	2-Butanone	0.241	0.260	-7.9	121	-0.01
26 T	2,2-Dichloropropane	0.890	0.878	1.3	120	0.00
27 T	cis-1,2-Dichloroethene	0.627	0.637	-1.6	121	-0.01
28 T	Bromochloromethane	0.415	0.424	-2.2	118	0.00
29 T	Tetrahydrofuran	0.146	0.147	-0.7	115	0.00
30 C	Chloroform	0.973	0.989	-1.6#	119	0.00
31 T	Cyclohexane	1.009	0.942	6.6	115	0.00
32 T	1,1,1-Trichloroethane	0.865	0.863	0.2	116	0.00
33 S	1,2-Dichloroethane-d4	0.527	0.515	2.3	111	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	118	0.00
35 S	Dibromofluoromethane	0.302	0.277	8.3	109	0.00
36 T	1,1-Dichloropropene	0.490	0.467	4.7	117	0.00
37 T	Ethyl Acetate	0.290	0.287	1.0	116	0.00
38 T	Carbon Tetrachloride	0.474	0.458	3.4	116	0.00
39 T	Methylcyclohexane	0.641	0.608	5.1	114	0.00
40 TM	Benzene	1.415	1.386	2.0	118	0.00
41 T	Methacrylonitrile	0.138	0.141	-2.2	121	0.00
42 TM	1,2-Dichloroethane	0.404	0.395	2.2	117	-0.01
43 T	Isopropyl Acetate	0.551	0.560	-1.6	118	0.00
44 TM	Trichloroethene	0.397	0.368	7.3	111	0.00
45 C	1,2-Dichloropropane	0.347	0.357	-2.9#	122	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv101819\
 Data File : VY000342.D
 Acq On : 18 Oct 2019 10:48
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 19 00:59:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 17 02:03:07 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.194	0.197	-1.5	121	0.00
47 T	Bromodichloromethane	0.457	0.469	-2.6	121	0.00
48 T	Methyl methacrylate	0.242	0.245	-1.2	117	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	106	-0.01
50 S	Toluene-d8	1.160	1.116	3.8	107	0.00
51 T	4-Methyl-2-Pentanone	0.284	0.303	-6.7	121	0.00
52 CM	Toluene	0.898	0.894	0.4#	119	0.00
53 T	t-1,3-Dichloropropene	0.490	0.513	-4.7	122	0.00
54 T	cis-1,3-Dichloropropene	0.557	0.577	-3.6	121	0.00
55 T	1,1,2-Trichloroethane	0.282	0.285	-1.1	123	0.00
56 T	Ethyl methacrylate	0.402	0.436	-8.5	123	0.00
57 T	1,3-Dichloropropane	0.485	0.498	-2.7	121	0.00
58 T	2-Chloroethyl Vinyl ether	0.160	0.167	-4.4	123	0.00
59 T	2-Hexanone	0.200	0.234	-17.0	130	0.00
60 T	Dibromochloromethane	0.313	0.333	-6.4	124	0.00
61 T	1,2-Dibromoethane	0.271	0.272	-0.4	117	0.00
62 S	4-Bromofluorobenzene	0.441	0.417	5.4	112	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	121	0.00
64 T	Tetrachloroethene	0.476	0.437	8.2	112	0.00
65 PM	Chlorobenzene	1.055	1.030	2.4	119	0.00
66 T	1,1,1,2-Tetrachloroethane	0.371	0.366	1.3	119	0.00
67 C	Ethyl Benzene	1.956	1.926	1.5#	119	0.00
68 T	m/p-Xylenes	0.748	0.727	2.8	117	0.00
69 T	o-Xylene	0.713	0.701	1.7	120	0.00
70 T	Styrene	1.203	1.213	-0.8	121	0.00
71 P	Bromoform	0.213	0.224	-5.2	120	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	120	0.00
73 T	Isopropylbenzene	3.899	3.768	3.4	118	0.00
74 T	N-amyl acetate	0.957	1.158	-21.0#	135	0.00
75 P	1,1,2,2-Tetrachloroethane	0.732	0.736	-0.5	122	0.00
76 T	1,2,3-Trichloropropane	0.615	0.598	2.8	112	0.00
77 T	Bromobenzene	0.868	0.840	3.2	120	0.00
78 T	n-propylbenzene	4.681	4.596	1.8	119	0.00
79 T	2-Chlorotoluene	2.585	2.563	0.9	120	0.00
80 T	1,3,5-Trimethylbenzene	3.269	3.196	2.2	118	0.00
81 T	trans-1,4-Dichloro-2-butene	0.281	0.291	-3.6	118	0.00
82 T	4-Chlorotoluene	2.733	2.696	1.4	119	0.00
83 T	tert-Butylbenzene	2.768	2.676	3.3	117	0.00
84 T	1,2,4-Trimethylbenzene	3.227	3.172	1.7	118	0.00
85 T	sec-Butylbenzene	4.005	3.955	1.2	117	0.00
86 T	p-Isopropyltoluene	3.492	3.461	0.9	117	0.00
87 T	1,3-Dichlorobenzene	1.709	1.652	3.3	119	0.00
88 T	1,4-Dichlorobenzene	1.708	1.672	2.1	120	0.00
89 T	n-Butylbenzene	3.450	3.467	-0.5	119	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv101819\
Data File : VY000342.D
Acq On : 18 Oct 2019 10:48
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Oct 19 00:59:15 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 17 02:03:07 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.647	0.665	-2.8	120	0.00
91 T	1,2-Dichlorobenzene	1.547	1.535	0.8	117	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.139	0.134	3.6	117	0.00
93 T	1,2,4-Trichlorobenzene	1.077	1.046	2.9	120	0.00
94 T	Hexachlorobutadiene	0.583	0.532	8.7	111	0.00
95 T	Naphthalene	2.403	2.356	2.0	119	0.00
96 T	1,2,3-Trichlorobenzene	0.971	0.931	4.1	118	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6